

ALESSANDRO BINI

TESSUTI D'ITALIA

2025

PUBLIC PRICE LIST - € EURO

01.01.2025



ALESSANDRO BINI



Alessandro Bini Tessuti d'Italia,
the Group's main division,
is an excellence in the textile furnishing sector that celebrates
its 20th anniversary in 2025.

The Company proposes and develops exclusively Made in Italy
collections characterised by positive contaminations between art,
craftsmanship and innovation.

The sample collection consists in natural fabrics and curtains,
flame retardant fabrics and curtains, outdoor fabrics,
eco-leather, leathers and trimmings.

INDEX

	ALTO 🔥	NF212	08
NEW	AMALIA	H059	08
	AMIATA COLLECTION		
	PITIGLIANO	G271	08
	SATURNIA	G293	08
NEW	ANTIBES COLLECTION		
	GIN	Q033	09
	TONIC	Q032	09
	ARCETRI	G310	09
OUTLET	ARCOBALENO COLLECTION		
	CROMIE	G238S1	10
	PALETTE	G238S2	10
	ARTIMINO	G236	10
OUTLET	ASPEN	G173	10
	ATELIER COLLECTION		
	CHANEL	G224	11
	GABRIELLE	G225	11
	BEL LINO	G077	11
	BERENICE	G311	11
	BIBBONA	G306	12
	BOLGHERI 🔥	NF123	12
NEW	BOUCLÉ FR 🔥	NF264	13
	BOUQUET	G243S4	13
	BRAQUE	G243S1	14
OUTLET	BRERA 🔥	NF079S6	14
	CAMPUS COLLECTION 🔥		
	CAMOUFLAGE 🔥	G066S89	15
	FLAME 🔥	G066S90	15
	FLOWER 🔥	G066S86	15
	LEAF 🔥	G066S87	15
	PALM 🔥	G066S88	15
NEW	CAP FERRAT COLLECTION		
	EMERALD	Q034	15
	PLAIN	Q035	16
	STRIPE	Q036	16
OUTLET	CAPOLIVERI	G084	16
	CAPRAIA	H040	17
NEW	CARTAGINE	H057	17
	CASALI COLLECTION		
	UNITO	G044	17
	RIGATO	G045	18
	CASENTINO COLLECTION		
	BIBBIENA	G139	18
	POPPI	G140	18-19
	VERNA	G141	19
	SUBBIANO	G142	20
	TALLA	G143	20
	SOCI	G144	20
	CAPOLONA	G146	21
	CHITIGNANO	G147	21
	STIA	G148	22
	PORCIANO	G149	22

NEW	CENTO COLORI	G264	22
OUTLET	CHIANTI	G046	23
OUTLET	CINIGLIA DI LINO	G191	23
	COCO 🔥	G066S1	24
	COOZY	G246	24
	CORTINA 🔥	NF128	24
	COSTA SMERALDA COLLECTION		
	DAMASCO	Q009	25
	GEOMETRICO	Q010	25
	COUNTRY & LOVE COLLECTION		
	FIORELLINI	E007	25
	CUORICINI	E009	26
	TOILE DE JOUY	L005	26
	TARTAN	G115	27
	RIGA MATERASSO	G116	27
	QUADRETTO MEDIO	G117	28
	RIGA MEDIA	G118	28
	QUADRO MULTI	G119	29
	RIGA MULTI	G120	29
	QUADRETTO PICCOLO	G121	30
	RIGA PICCOLA	G122	30
	FALSO UNITO	G123	31
	UNITO	G124	31
	UNITO NATURALE	G125	31
OUTLET	CRACKLÉ	G178	32
	CRASH 🔥	NF079FX	32
OUTLET	DARK 🔥	NF041	33
	DAVOS	H042	33
	DIAMOND 🔥	NF200	33
NEW	DOMINO 🔥	NF261	34
	DOUBLE 🔥	NF214	34
OUTLET	ECLISSE 🔥	NF107	35
OUTLET	ELBA	G132	35
	ELEGANT 🔥	NF094	36
	ETOILE 01-02 🔥	NF062	36
OUTLET	ETOILE COLOUR 🔥	NF062	36
	FAVIGNANA	H038	37
	FIESOLE	G248	37
	FILICUDI	H034	37
OUTLET	FIRENZE	G238	38
NEW	FLASH 🔥	NF265	38
NEW	FLORIDIA COLLECTION 🔥		
	DAMASCO 🔥	NF124S3	39
	MIGNON 🔥	NF124S2	39
OUTLET	FLOU COLLECTION		
	GOFFRATO	G078	39
	LISCIO	G076	40
	FODERA 🔥	NF215	40
	FORESTA BOREALE	H039	40
	FORTE DEI MARMI	G216	41
OUTLET	FULL MOON 🔥	NF042	41

GAIOLE	G318	41	CUBO	Q003	52
GAZEBO 🔥	NF075	42	LABIRINTO	Q004	52
GIGLIO	H033	42	CORDA	Q005	52
GRIS	G243S2	42	UNITO	Q006	53
I MEDICI COLLECTION			DAMASCO	Q009	53
ALESSANDRO	G199	43	GEOMETRICO	Q010	53
CATERINA	G195	43	SAINT FLORENT	SAB	53
COSIMO	G196	43	SAINT FLORENT	SACH	53
ELEONORA	G198	43	SAINT FLORENT	SAM	53
LORENZO	G197	43	SAINT FLORENT	SACS	53
IRIDE 🔥	NF127	43	SAINT FLORENT	SASP	53
IRIS	G203S2	44	GAZEBO 🔥	NF075	54
NEW ISIDE&OSIRIDE	G267	44	MIKADO 🔥	NF228	54
ITACA COLLECTION			OUTLET MILL 🔥	NF100	54
CRETA	H050	44	NEW MOIRÉ 🔥	NF124S1	55
MILO	H051	45	MOLLA 🔥	NF210	55
JARDIN			MOLLA ACCOPPIATO 🔥	NF218	56
	H052	45	MONTEPULCIANO	G309	56
LAMPEDUSA COLLECTION			NEW MONTERIGGIONI	G268	56
	H007	45	OUTLET MONTMARTRE 🔥	NF079S7	57
	H008	45	OUTLET MORRIS	G077S1	57
	H009	45	MURANO	H054	58
	H046	45	NATURAL FIRE 🔥		
LEVANZO	H046	45	NOTHING 🔥	NF090	58
OUTLET LIGHT 🔥	NF101	46		NF245	58
LINO FIRE 🔥	NF081	46	NEW OFELIA		
LINOSA	H048	46		H058	59
LIPARI COLLECTION			PALMAROLA		
	H001	47		H031	59
	H002	47	OUTLET PANAREA COLLECTION	H004	59
	H003	47		H005	59
OUTLET LIVIGNO	G174	47		H006	59
LOFT COLLECTION			NEW PANZANO	G260	60
SCREZIATO	G127	47	PIANOSA	G183	60
UNITO	G129	48	OUTLET PICASSO	G077S2	60
OUTLET LOOM 🔥	NF099	48	PIENZA	G220	61
LOUIS 🔥	G066S2	49	PONTE VECCHIO COLLECTION		
LUCE 🔥	G066	49	RIGA	CLG109	61
OUTLET LUNA 🔥	NF103	50	FIORE	CLG110	61
			DAMASCO	CLG111	61
MAGNOLIA	G203S1	50	SCREZIATO	CLG112	61
MANAROLA	G222	50	PONZA	H030	61
MAREMMA COLLECTION			PORTOFINO COLLECTION		
MANCIANO	G290	51		H016	62
PITIGLIANO	G271	51		H017	62
SATURNIA	G293	51		H018	62
SORANO	G291	51		H019	62
MARETTIMO	H047	51	PORTOFINO RIGA	H019	62
OUTLET MATELASSÉ COLLECTION			POSITANO	Q028	62
GOCCIA	G150	51	PROCIDA	H056	63
FIORE	G151	51	OUTLET RAIN 🔥		
MEGÈVE	G292	52		NF098	63
OUTLET METAL 🔥	NF102	52	OUTLET RIALTO 🔥	NF079S8	63
MIAMI COLLECTION			RISIKO 🔥	NF229	64
PIED DE POULE	Q001	52	NEW COLLECTION		
RIGA	Q002	52	OUTLET	FIRE PROOF	

NEW COLLECTION **OUTLET** 🔥 **FIRE PROOF**

SAFARI	G243S3	64
SAINT BARTH COLLECTION		
SIMONE	Q019	64
DONATA	Q020	65
DANILO	Q021	65
VERA	Q022	65
LEONARDO	Q023	66
NICCOLÒ	Q024	66
MANUELA	Q025	66
SAINT FLORENT	SA	67
SAINT MORITZ	G131	67
OUTLET SALINA	H032	67
SECRET	NF201	68
SELVA	H055	68
SEMPRE	NF216	69
SFERA	H053	69
SHAKESPEARE COLLECTION		
PUNTINATO	CLG067	69
FLOREALE	CLG068	69
RIGATO	CLG069	69
SHANTUNG COLLECTION		
UNITO	NF080	70
OUTLET RIGATO	NF082	70
SHETLAND	G137	71
OUTLET SHINE	NF104	71
SIENA	G233	71
OUTLET SMALL	CLG113	72
SOFTFIRE	NF124	72
OUTLET SOHO	NF079S5	73
SOMETHING	NF244	73
SPITFIRE	NF079	74
OUTLET SPLENDID COLLECTION		
RIGA	CLG114	74
FIORE	CLG115	74
OUTLET STREET	G179	75
SUNSET	NF121	75
SUPREME	NF105	75
SUVERETO	G307	76
OUTLET TALCO	G088	76
TAORMINA	H044	76
TAXI COLLECTION	J - T	77
TENERIFE	H049	77
TETRIS	NF227	78
TOTAL BLACK WHITE	NF217	78
OUTLET TULLE	NF047	78
TUSCANIA	NF213	79
UMBRIA COLLECTION		
MONTEFALCO	NF224	79
ORVIETO	NF225	79
SPELLO	NF226	80
OUTLET VELLUTO DI COTONE	G075	80
VELLUTO DI LINO	G105	80
VENTOTENE 01 - 02	H037	81

OUTLET VENTOTENE COLOUR	H037	81
VERSILIA	Q007	81
	Q017	82
VIAREGGIO COLLECTION	VG006	82
	VG007	82
	VG008	82
	VG009/04	82
OUTLET VIAREGGIO COLLECTION	VG009	82

NEW WIN NF241 83

OUTLET ZERMATT COLLECTION	G171	83
OUTLET ZERMATT COLLECTION	G172	83

STAMPA SERVICE 84

TRIMMINGS

ANGHIARI	PA034	86
BELLOSGUARDO	PA049	86
BORDINO	PA042/43/44/45	86
BORRO	PA048	86
CERTALDO	PA035	86
CORTONA	PA036	86
MARABÙ	PA008	87
RIMAGGIO	PA038	87
ROVEZZANO	PA037	87
ROMBO	PA001	87
ROVETA	PA005	87
VIAREGGIO	PA007	87

GENUINE LEATHER

CLASSIC	VP04	88
FOLK	VP03	89
JAZZ	VP06	90
NEW MELODY	VP16	91
NEW MERENGUE	VP10	92
POP	VP01	93
NEW REGGAE	VP09	94
ROCK	VP05	95
NEW RUMBA	VP13	96
NEW SALSA	VP11	97
NEW SAMBA	VP08	98
NEW TANGO	VP15	99
NEW TWIST	VP12	100
NEW VALZER	VP14	101







SYNTHETIC LEATHER

FISHERMAN	FP02	102
OLD	FP05	102
SPINNING	FP09	102
SURF	FP012	103
TOUCH	FP01	103
VINTAGE	FP04	103







QUILTED SYNTHETIC LEATHER

OUTLET ECOTRAP GEOMETRICO	WTW/02	104
OUTLET ECOTRAP RAMAGE	WTW/01	104

NEW COLLECTION OUTLET FIRE PROOF









ALTO NF212  fire proof	WIDTH	cm 280 approx. - inch 110 approx.
	COMPOSITION	100% PL
	WEIGHT	g-mq 400
	ROLL LENGTH	mtl 35 approx.
	SHRINKAGE	+/- 1%
	MARTINDALE cycles	> 60.000
	TYPE	velvet
	USE	upholstery - complements- curtains - decorations
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
€ 124,10	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	BS (UK)	BS 5852:2006 - SOURCE 0,1








NEW

AMALIA H059  natural fabric	WIDTH	cm 310 approx. - inch 122 approx.
	COMPOSITION	70 % CASHWOOL - 30% LI
	WEIGHT	g-mq 186
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 3%
	LIGHT FASTNESS	4/5
	TYPE	fabric
	USE	curtains
	CARE INSTRUCTIONS	    
	€ 252,30	






AMIATA COLLECTION PITIGLIANO G271 SATURNIA G293	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	25% VI - 23% WO - 19% CO - 16% PC - 13% LI - 4% PL
	WEIGHT	g-mq 543
	ROLL LENGTH	mtl 35 approx.
	SHRINKAGE	dry wash +/- 2% water wash +/- 5%
	PILLING	2/3
	MARTINDALE cycles	> 75.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	€ 93,70	CARE INSTRUCTIONS






WIDTH	cm 140 approx. - inch 55 approx.	NEW ANTIBES COLLECTION GIN Q033  indoor&outdoor  water repellent
COMPOSITION	87% PP - 13% PL	
WEIGHT	g-mq 525	
ROLL LENGTH	mtl 30 approx.	
LIGHT FASTNESS	6	
PILLING	4	
MARTINDALE cycles	> 25.000	
TYPE	Jacquard fabric	
USE	upholstery - decorations	
PATTERN DIRECTION		
REPEAT	cm ↓ 45 ↔ 35	INDOOR&OUTDOOR € 117,10
CARE INSTRUCTIONS	    	
This fabric is FLUORINE FREE treated according to law.		

WIDTH	cm 140 approx. - inch 55 approx.	NEW ANTIBES COLLECTION TONIC Q032  indoor&outdoor  water repellent
COMPOSITION	87% PP - 13% PL	
WEIGHT	g-mq 450	
ROLL LENGTH	mtl 30 approx.	
LIGHT FASTNESS	6	
PILLING	4	
MARTINDALE cycles	> 25.000	
TYPE	Jacquard fabric	
USE	upholstery - decorations	
PATTERN DIRECTION		
REPEAT	cm ↓ 45 ↔ 35	INDOOR&OUTDOOR € 113,80
CARE INSTRUCTIONS	    	
This fabric is FLUORINE FREE treated according to law.		







WIDTH	cm 140 approx. - inch 55 approx.	ARCETRI G310  indoor&outdoor  water repellent
COMPOSITION	78% VI - 5% PC R - 5% PL - 5% PL R - 5% WO R - 2% CO	
WEIGHT	g-mq 988	
ROLL LENGTH	mtl 25 approx.	
PILLING	4	
MARTINDALE cycles	> 40.000	
REPEAT	cm ↓ 26 ↔ 35	
TYPE	Jacquard fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	   	
This fabric can be produced in Trevira CS for a minimum quantity of 120 lms.		€ 245,30




OUTLET





ARCOBALENO COLLECTION CROMIE G238S1 PALETTE G238S2  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	93% CO - 7% PL
	WEIGHT	g-mq 536
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	PILLING	4
	MARTINDALE cycles	> 30.000
	REPEAT - G238S1	cm ↑64 ↔62
	REPEAT - G238S2	cm ↑70 ↔45
	TYPE	velvet
USE	upholstery - complements - curtains - decorations	
CARE INSTRUCTIONS	   	
€ 115,50		



ARTIMINO G236  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	47% CO - 29% VI - 24% PL
	WEIGHT	g-mq 608
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 2%
	PILLING	4
	MARTINDALE cycles	> 30.000
	TYPE	fabric
	USE	upholstery - complements - decorations
	CARE INSTRUCTIONS	   
€ 95,10	This fabric can be dyed with a special colour for a minimum quantity of 100 lms.	

OUTLET







ASPEN G173  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	38% CO - 31%PC - 14% PL - 9% LI - 8% VI
	WEIGHT	g-mq 585
	ROLL LENGTH	mtl 50 approx.
	SHRINKAGE	+/- 1%
	PILLING	3/4
	MARTINDALE cycles	> 30.000
	TYPE	fabric
	USE	upholstery - complements - decorations
	PATTERN DIRECTION	
CARE INSTRUCTIONS	   	
€ 100,40		








WIDTH	cm 140 approx. - inch 55 approx.	ATELIER COLLECTION CHANEL G224 GABRIELLE G225  recycled
COMPOSITION	50% RECYCLED COTTON - 24% PL - 8% VI - 8% PC - 6% WO - 3% LI - 1% PA	
WEIGHT	g-mq 636	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 3%	
PILLING	3/4	
MARTINDALE cycles	> 25.000	
REPEAT - G225	cm ↑ 53 ↔ 36	
TYPE	Jacquard fabric	
USE	upholstery - complements - decorations	
PATTERN DIRECTION		€ 93,10
CARE INSTRUCTIONS		

WIDTH	cm 140 approx. - inch 55 approx.	BEL LINO G077  stain resistant  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 450	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4	
MARTINDALE cycles	> 30.500	
TYPE	plain fabric	
USE	upholstery - complements - curtains - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
Stain resistant and water repellent with nanotechnologies		
This fabric can be dyed with a special colour for a minimum quantity of 100 lms.		

WIDTH	cm 140 approx. - inch 55 approx.	BERENICE G311  natural fabric
COMPOSITION	90% VI - 10% SE	
WEIGHT	g-mq 498	
ROLL LENGTH	mtl 30 approx.	
PILLING	4/5	
MARTINDALE cycles	> 9.000	
REPEAT	cm ↑ 174 ↔ 140	
TYPE	Jacquard fabric	
USE	complements - curtains - decorations	
CARE INSTRUCTIONS		
Minimum order quantity one repeat.		





B

BIBBONA G306  natural fabric € 143,50	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	21% Wv - 29% LI - 20% CO - 20% PC - 8% PL - 2% PA
	WEIGHT	g-mq 928
	ROLL LENGTH	mtl 20 approx.
	PILLING	2/3
	MARTINDALE cycles	> 30.000
	TYPE	plain fabric
	USE	upholstery - complements - decorations
	CARE INSTRUCTIONS	    






BOLGHERI NF123  fire proof  naval certification € 89,60	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	97% PL FR - 3% VI
	COMPOSITION NF123/1001 - NF123/18	100% PL FR
	WEIGHT	g-mq 530
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	PILLING	3
	MARTINDALE cycles	> 30.000
	TYPE	plain fabric
	USE	upholstery - complements - curtains - decorations
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	CLASSE 1 IM (IT)	UNI 9175
	FTP (IMO)	CODE 2010, PART 7,8
	MI (FR)	NFP 92-503
	B1 (D)	DIN 4102
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	
This fabric can be dyed with a special colour for a minimum quantity of 100 lms.		

WIDTH	cm 140 approx. - inch 55 approx.	BOUCLÉ FR NF264
COMPOSITION	100% PL FR	
WEIGHT	g-mq 750	
ROLL LENGTH	mtl 30 approx.	
PILLING	4	
SHRINKAGE	+/- 1%	
MARTINDALE cycles	> 35.000	
LIGHT FASTNESS	4/5	
TYPE	fabric	
USE	upholstery - complements - decorations	
CARE INSTRUCTIONS		 fire proof
CERTIFICATIONS		
BS (UK)	BS 5852 - Schedule 4 part 1 (cigarette test)	
BS (UK)	BS 5852 - Schedule 5 part 1 (match test)	
CALIFORNIAN TEST (USA)	TB 117:2013 + 2015 SECTION 1	
CLASS 1 IM (IT)	UNI 9175/1987	€ 72,50
EUROPE (EU)	EN 1021 - 1 (cigarette test)	
EUROPE (EU)	EN 1021 - 2 (match test)	
This fabric can be dyed with special colours for a minimum quantity of 100 lms.		

WIDTH	cm 140 approx. - inch 55 approx.	BOUQUET G243S4 natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 550	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 3%	
PILLING	4	
MARTINDALE cycles	> 25.000	
REPEAT	cm ↑ 35 ↔ 35	
TYPE	printed cotton	
USE	complements - curtains - upholstery - decorations	
PATTERN DIRECTION		€ 110,50
CARE INSTRUCTIONS		

BRAQUE G243S1   natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 550
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 3%
	PILLING	4
	MARTINDALE cycles	> 25.000
	REPEAT	cm ↑ 35 ↔ 35
	TYPE	printed cotton
	USE	complements - curtains - upholstery - decorations
€ 110,50	PATTERN DIRECTION	
	CARE INSTRUCTIONS	

OUTLET

BRERA NF079S6   fire proof  naval certification	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL TREVIRA CS
	WEIGHT	g-mq 314
	ROLL LENGTH	mtl 40 approx.
	SHRINKAGE	+/- 1%
	PILLING	3
	MARTINDALE cycles	> 50.000
	REPEAT	cm ↑ 69 ↔ 45
	TYPE	printed velvet
	USE	complements - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
	B1 (D)	DIN 4102
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
	BS (UK)	BS 5867-2:2008 TYPE B
	BS (UK)	BS 5852:2006 - SOURCE 0, 1
€ 114,80		

WIDTH	cm 140 approx. - inch 55 approx.			
COMPOSITION	51% PL TREVIRA CS - 49% PL			
WEIGHT	g-mq 277			
ROLL LENGTH	mtl 30 approx.			
SHRINKAGE	+/- 1%			
PILLING	3/4			
MARTINDALE cycles	> 40.000			
REPEAT cm				
G066S89	G066S90	G066S86	G066S87	G066S88
↓100 ↔ 90	↓63 ↔ 70	↓34 ↔ 34	↓50 ↔ 50	↓50 ↔ 65
TYPE	printed satin			
USE	complements - curtains - upholstery - decorations			
PATTERN DIRECTION				
CARE INSTRUCTIONS				
CERTIFICATIONS				
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174			
FTP (IMO)	CODE 2010, PART 8			
MI (FR)	NFP 92-503			
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1			
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5			
BS (UK)	BS 5867-2:2008 TYPE B			

**CAMPUS
COLLECTION**



**CAMOUFLAGE
G066S89**

**FLAME
G066S90**

**FLOWER
G066S86**

**LEAF
G066S87**

**PALM
G066S88**



fire proof



naval
certification

€ 94,90

WIDTH	cm 140 approx. - inch 55 approx.			
COMPOSITION	60% PP - 29% PL - 11% PC			
WEIGHT	g-mq 586			
ROLL LENGTH	mtl 25 approx.			
PILLING	3/4			
MARTINDALE cycles	> 20.000			
REPEAT	cm ↓20 ↔ 18			
LIGHT FASTNESS	7			
TYPE	Jacquard fabric			
USE	upholstery - complements			
PATTERN DIRECTION				
CARE INSTRUCTIONS				
This fabric is FLUORINE FREE treated according to law.				

**CAP FERRAT
COLLECTION**

**EMERALD
Q034**



indoor&outdoor



water repellent

€ 70,70

NEW

INDOOR&OUTDOOR

NEW

CAP FERRAT
COLLECTIONPLAIN
Q035

indoor&outdoor



water repellent

€ 61,70

WIDTH cm 140 approx. - inch 55 approx.

COMPOSITION 65% PP - 28% PL - 7% PC

WEIGHT g-mq 450

ROLL LENGTH mtl 25 approx.

PILLING 3/4

MARTINDALE cycles > 20.000

LIGHT FASTNESS 7

TYPE fabric

USE upholstery - complements

CARE INSTRUCTIONS

This fabric is FLUORINE FREE treated according to law.

INDOOR&OUTDOOR

NEW

CAP FERRAT
COLLECTIONSTRIPE
Q036

indoor&outdoor



water repellent

€ 65,20

WIDTH cm 140 approx. - inch 55 approx.

COMPOSITION 61% PP - 30% PL - 9% PC

WEIGHT g-mq 429

ROLL LENGTH mtl 25 approx.

PILLING 3/4

MARTINDALE cycles > 20.000

REPEAT cm ↓ 1

LIGHT FASTNESS 7

TYPE Jacquard fabric

USE upholstery - complements

PATTERN DIRECTION

CARE INSTRUCTIONS

This fabric is FLUORINE FREE treated according to law.

INDOOR&OUTDOOR

OUTLET

CAPOLIVERI
G084

natural fabric

€ 78,80

WIDTH cm 280 approx. - inch 110 approx

COMPOSITION 100% JU

WEIGHT g-mq 340

ROLL LENGTH mtl 25 approx.

SHRINKAGE +/- 3%








PILLING 4







TYPE plain fabric

USE complements - curtains - decorations







CARE INSTRUCTIONS






















Avoid direct exposure to UV and sun rays.
We recommend the use of the curtain lining.








WIDTH	cm 295-300 approx. - inch 116/118 approx.	CAPRAIA H040  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 172	
ROLL LENGTH	mtl 30 approx	
SHRINKAGE	+/- 3%	
PILLING	4	
TYPE	medium weight curtain	
USE	bedsheets - complements - curtains	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	
		H040/000 H040/010 € 128,30 colour € 167,80








WIDTH	cm 320 approx. - inch 126 approx.	CARTAGINE H057  natural fabric
COMPOSITION	45% ECO PAPER - 55% LI	
WEIGHT	g-mq 209	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
LIGHT FASTNESS	4/5	
TYPE	fabric	
USE	curtains	
CARE INSTRUCTIONS	    	
Avoid direct exposure to UV and sun rays. We recommend the use of the curtain lining.		








NEW








WIDTH	cm 140 approx. - inch 55 approx.	CASALI COLLECTION UNITO G044  natural fabric
COMPOSITION	58% VI - 22% CO - 16% LI - 4% PC	
WEIGHT	g-mq 582	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	€ 109,80
Flame retardant: minimum order quantity one roll.		







CASALI COLLECTION RIGATO GO45  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	58% VI - 22% CO - 16% LI - 4% PC
	WEIGHT	g-mq 582
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	REPEAT	cm ↔ 18
	TYPE	fabric
	USE	complements - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
Flame retardant: minimum order quantity one roll.		
€ 109,80		
CASENTINO COLLECTION BIBBIENA G139/01  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	76% LI - 24% CO
	WEIGHT	g-mq 530
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
	€ 140,10	
	CASENTINO COLLECTION POPPI G140/01  natural fabric	WIDTH
COMPOSITION		100% CO
WEIGHT		g-mq 745
ROLL LENGTH		mtl 25 approx.
SHRINKAGE		+/- 3%
PILLING		4/5
MARTINDALE cycles		> 25.000
TYPE		fabric
USE		complements - upholstery - decorations
PATTERN DIRECTION		
CARE INSTRUCTIONS		    
€ 84,80		







WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION POPPI G140/02  natural fabric
COMPOSITION	60% CO - 40% LI	
WEIGHT	g-mq 750	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	€ 127,60




WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION VERNA G141/01  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 730	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	€ 103,00




WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION VERNA G141/02  natural fabric
COMPOSITION	60% CO 40% LI	
WEIGHT	g-mq 680	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	€ 133,70




CASENTINO COLLECTION SUBBIANO G142/01 G142/02  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 680
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	PATTERN DIRECTION	
€ 96,60	CARE INSTRUCTIONS	    




CASENTINO COLLECTION TALLA G143/01 G143/02  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 880
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	€ 141,30	PATTERN DIRECTION
CARE INSTRUCTIONS	    	



CASENTINO COLLECTION SOCI G144/01 G144/02  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	90% CO 10% PA
	WEIGHT	g-mq 530
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	€ 105,00	PATTERN DIRECTION
CARE INSTRUCTIONS	    	

WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION CAPOLONA G146/01 G146/02  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 740	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		€ 85,90



WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION CHITIGNANO G147/01  natural fabric
COMPOSITION	40% CO 32% VI 28% LI	
WEIGHT	g-mq 670	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		€ 92,50

WIDTH	cm 140 approx. - inch 55 approx.	CASENTINO COLLECTION CHITIGNANO G147/02  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 605	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	fabric	
USE	complements - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		€ 74,40

CASENTINO COLLECTION STIA G148/01  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	40%CO 32% VI 24% LI 4%NY
	WEIGHT	g-mq 715
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	PATTERN DIRECTION	
€ 110,50	CARE INSTRUCTIONS	






















CASENTINO COLLECTION PORCIANO G149/01  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 575
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	fabric
	USE	complements - upholstery - decorations
	€ 78,40	PATTERN DIRECTION
	CARE INSTRUCTIONS	







NEW

CENTO COLORI G264  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	25% SE - 75% CO
	WEIGHT	g-mq 193
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	PILLING	3/4
	MARTINDALE cycles	> 4.000
	LIGHT FASTNESS	4/5
	TYPE	satin
	€ 136,20	USE
	CARE INSTRUCTIONS	

WIDTH	cm 140 approx. - inch 55 approx.	CHIANTI GO46	OUTLET
COMPOSITION	37% VI - 37% JU - 11% CO - 11% LI - 4% PC		
WEIGHT	g-mq 600		
ROLL LENGTH	mtl 30 approx.		
SHRINKAGE	+/- 1%		
PILLING	4		
MARTINDALE cycles	> 25.000		
TYPE	fabric		
USE	complements - upholstery - decorations		
PATTERN DIRECTION			
CARE INSTRUCTIONS		 natural fabric	
CERTIFICATIONS	BS (UK) BS 5852:2006 - SOURCE 0,1 CALIFORNIAN TEST (USA) TB 117:2013 SECTION 1		
Flame retardant: minimum order quantity one roll.		€ 93,60	

WIDTH	cm 140 approx. - inch 55 approx.	CINIGLIA DI LINO G191	OUTLET
COMPOSITION	54% LI - 28% CO - 18% PL		
WEIGHT	g-mq 630		
ROLL LENGTH	mtl 25 approx.		
SHRINKAGE	+/- 1%		
PILLING	4/5		
MARTINDALE cycles	> 30.000		
TYPE	plain fabric		
USE	complements - upholstery - decorations		
CARE INSTRUCTIONS			
		€ 160,90	

COCO G066S1   fire proof  naval certification € 94,90	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	51% PL TREVIRA CS - 49% PL
	WEIGHT	g-mq 277
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	PILLING	3/4
	MARTINDALE cycles	> 40.000
	REPEAT	cm ↓ 70 ↔ 35
	TYPE	printed satin
	USE	complements - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
FTP (IMO)	CODE 2010, PART 8	
MI (FR)	NFP 92-503	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	
COOZY G246  recycled € 91,60	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL RECYCLED
	WEIGHT	g-mq 720
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 2%
	PILLING	5
	MARTINDALE cycles	> 100.000
	TYPE	fabric
	USE	upholstery - complements - decorations
	CARE INSTRUCTIONS	    
CORTINA NF128  fire proof € 186,00	WIDTH	cm 320 approx. - inch 126 approx.
	COMPOSITION	85% PL FR - 10% LI - 5% CO
	WEIGHT	g-mq 301
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	TYPE	medium weight curtain
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	78% PP - 22% PL
WEIGHT	g-mq 440
ROLL LENGTH	mtl 25 approx.
SHRINKAGE	+/- 1%
PILLING	4/5
MARTINDALE cycles	> 25.000
REPEAT - Q009	cm ↓ 22,5 ↔ 17,5
REPEAT - Q010	cm ↓ 3 ↔ 0,5
TYPE	outdoor fabric
USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	    
<i>Mould and miteproof</i>	

COSTA SMERALDA
COLLECTION

DAMASCO
Q009







GEOMETRICO
Q010

INDOOR&OUTDOOR



indoor&outdoor

€ 98,90

WIDTH	cm 160 approx - inch 62 approx.
COMPOSITION	100% CO
WEIGHT	g-mq 120
ROLL LENGTH	mtl 25 approx.
SHRINKAGE	+/- 2/3%
PILLING	4/5
REPEAT	cm ↓ 16 ↔ 17
MARTINDALE cycles	> 13.000
TYPE	printed fabric
USE	bedcover - curtains - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	    

COUNTRY &
LOVE
COLLECTION

FIORELLINI
E007



natural fabric

€ 39,20

**COUNTRY &
LOVE
COLLECTION**
**CUORICINI
E009**


natural fabric

€ 39,20




WIDTH	cm 160 approx. - inch 62 approx.
COMPOSITION	100% CO
WEIGHT	g-mq 135
ROLL LENGTH	mtl 25 approx
SHRINKAGE	+/- 2/3%
PILLING	4/5
REPEAT	cm ↓2 ↔4
MARTINDALE cycles	> 13.000
TYPE	printed fabric
USE	bedcover - curtains - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	




**COUNTRY &
LOVE
COLLECTION**
**TOILE DE
JOUY
L005**





natural fabric




€ 70,30




WIDTH	cm 280 approx. - inch 110 approx.
COMPOSITION	100% CO
WEIGHT	g-mq 220
ROLL LENGTH	mtl 25 approx.
SHRINKAGE	+/- 2/3%
PILLING	4/5
REPEAT	cm ↓72 ↔138
MARTINDALE cycles	> 40.000
TYPE	printed fabric
USE	bedcover - curtains - upholstery - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	




WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION TARTAN G115  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
REPEAT	cm ↑30 ↔ 27	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		€ 96,60

WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION RIGA MATERASSO G116  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
REPEAT	cm ↔ 27	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		€ 96,60

COUNTRY & LOVE COLLECTION QUADRETTO MEDIO G117  natural fabric	WIDTH	cm 280 approx. - inch 110 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 295
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 2/3%
	PILLING	4/5
	REPEAT	cm ↑9 ↔9
	MARTINDALE cycles	> 25.000
	TYPE	yarn dyed fabric
	USE	bedcover - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	
	€ 96,60	It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.

COUNTRY & LOVE COLLECTION RIGA MEDIA G118  natural fabric	WIDTH	cm 280 approx. - inch 110 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 295
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 2/3%
	PILLING	4/5
	REPEAT	cm ↔8,3
	MARTINDALE cycles	> 25.000
	TYPE	yarn dyed fabric
	USE	bedcover - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	
	€ 96,60	It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.

WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION QUADRO MULTI G119  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
REPEAT	cm ↑ 4,5 ↔ 4,5	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		€ 96,60
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		

WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION RIGA MULTI G120  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
REPEAT	cm ↔ 4,5	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		€ 96,60
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		

**COUNTRY &
LOVE
COLLECTION**
**QUADRETTO
PICCOLO
G121**


natural fabric

€ 96,60

WIDTH cm 280 approx. - inch 110 approx.

COMPOSITION 100% CO

WEIGHT g-mq 295

ROLL LENGTH mtl 25 approx.

SHRINKAGE +/- 2/3%

PILLING 4/5

 REPEAT cm \updownarrow 1 \leftrightarrow 1

MARTINDALE cycles > 25.000

TYPE yarn dyed fabric

USE bedcover - curtains - upholstery - decorations

PATTERN DIRECTION

CARE INSTRUCTIONS

It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.

**COUNTRY &
LOVE
COLLECTION**
**RIGA
PICCOLA
G122**


natural fabric

€ 96,60

WIDTH cm 280 approx. - inch 110 approx.

COMPOSITION 100% CO

WEIGHT g-mq 295

ROLL LENGTH mtl 25 approx.

SHRINKAGE +/- 2/3%

PILLING 4/5

 REPEAT cm \leftrightarrow 1

MARTINDALE cycles > 25.000




TYPE yarn dyed fabric




USE bedcover - curtains - upholstery - decorations

PATTERN DIRECTION

CARE INSTRUCTIONS

It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.

WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION FALSO UNITO G123 UNITO G124  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		€ 96,60

WIDTH	cm 280 approx. - inch 110 approx.	COUNTRY & LOVE COLLECTION UNITO NATURALE G125  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 295	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2/3%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	yarn dyed fabric	
USE	bedcover - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
It is possible to carry out the COEX treatment with flame-retardant certification Classe 1 (IT) for a minimum order quantity of 200 mt per colour.		€ 69,90

OUTLET

CRACKLÈ
G178

natural fabric

€ 92,30

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	48% VI - 26% CO - 26% PL
WEIGHT	g-mq 790
ROLL LENGTH	mtl 25/30 approx.
SHRINKAGE	+/- 1%
PILLING	4
MARTINDALE cycles	> 20.000
REPEAT	cm ↓ 47 ↔ 35
PATTERN DIRECTION	
TYPE	Jacquard velvet
USE	complements - upholstery - decorations
CARE INSTRUCTIONS	

CRASH
NF079FX










fire proof

naval
certification

€ 116,20

WIDTH	cm 125 approx. - inch 49 approx.
COMPOSITION	100% PL TREVIRA CS
WEIGHT	g-mq 314
ROLL LENGTH	mtl 40 approx.
SHRINKAGE	+/- 1%
PILLING	4
MARTINDALE cycles	> 100.000
TYPE	wrinkled plain velvet
USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	
CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
FTP (IMO)	CODE 2010, PART 7
M1 (FR)	NFP 92-503
B1 (D)	DIN 4102
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B
BS (UK)	BS 5852:2006 - SOURCE 0, 1

This fabric can be dyed with a special colour for a minimum quantity of 100 lms.

WIDTH	cm 280 approx. - inch 110 approx.	DARK NF041  fire proof  naval certification	
COMPOSITION	100% PL FR		
WEIGHT	g-mq 285		
ROLL LENGTH	mtl 30 approx.		
SHRINKAGE	+/- 2%		
MARTINDALE cycles	> 30.000		
TYPE	dimout shading		
USE	curtains		
CARE INSTRUCTIONS			
CERTIFICATIONS			
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	€ 75,00	
FTP (IMO)	CODE 2010, PART 7		
BS (UK)	BS 5867-2:2008 TYPE B		
WIDTH	cm 300 approx. - inch 118 approx.	DAVOS H042  natural fabric € 130,20	
COMPOSITION	46% WO - 38% LI - 16% PA		
WEIGHT	g-mq 151		
ROLL LENGTH	mtl 30 approx.		
SHRINKAGE	+/- 4%		
TYPE	medium weight curtain		
USE	curtains		
CARE INSTRUCTIONS			
WIDTH	cm 140 approx. - inch 55 approx.		DIAMOND NF200  fire proof  naval certification € 187,10
COMPOSITION	76% VI - 13% PL - 8% CO - 3% LI		
WEIGHT	g-mq 721		
ROLL LENGTH	mtl 25 approx.		
SHRINKAGE	+/- 1%		
REPEAT	cm ↓ 3,7 ↔ 4,4		
PILLING	4/5		
MARTINDALE cycles	> 30.000		
TYPE	Jacquard velvet		
USE	complements - curtains - upholstery - decorations		
PATTERN DIRECTION			
CARE INSTRUCTIONS			
CERTIFICATIONS			
CLASSE 1 IM (IT)	UNI 9175		
FTP (IMO)	CODE 2010, PART 8		
M1 (FR)	NFP 92-503		
B1 (D)	DIN 4102		
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1		
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5		

FR-treatment is through resin with backcoating of the fabric.

NEW

DOMINO
NF261

fire proof

€ 145,90




WIDTH	cm 155 approx. - inch 61 approx.
COMPOSITION	100% PL TREVIRA CS
WEIGHT	g-mq 206
ROLL LENGTH	mtl 35 approx.
SHRINKAGE	+/- 1,5%
PILLING	4
REPEAT	cm ↑ 15 ↔ 14,5
MARTINDALE cycles	> 25.000
LIGHT FASTNESS	4/5
TYPE	Jacquard fabric
USE	upholstery - curtains - complements
PATTERN DIRECTION	
CARE INSTRUCTIONS	
CERTIFICATIONS	
BS (UK)	BS 5852 - Schedule 4 part 1 (cigarette test)
BS (UK)	BS 5852 - Schedule 5 part 1 (match test)
CALIFORNIAN TEST (USA)	TB 117:2013 + 2015 SECTION 1
CLASS 1 IM (IT)	UNI 9175/1987
EUROPE (EU)	EN 1021 - 1 (cigarette test)
EUROPE (EU)	EN 1021 - 2 (match test)

DOUBLE
NF214

fire proof



€ 66,80

WIDTH	cm 300 ca. - inch 118 approx.
COMPOSITION	100% PL
WEIGHT	g-mq 245
ROLL LENGTH	mtl 30 approx.
TYPE	velvet
USE	curtains - decorations
CARE INSTRUCTIONS	
CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI 9174
CLASSE 1 (EU)	UNE EN 1101-13772-13773




WIDTH	cm 280 approx. - inch 110 approx.	ECLISSE NF107	 fire proof
COMPOSITION	90% PL FR - 10% ACRYLIC RESIN		
WEIGHT	g-mq 460		
ROLL LENGTH	mtl 25 approx.		
SHRINKAGE	+/- 1,5%		
PILLING	4		
MARTINDALE cycles	> 35.000		
TYPE	blackout shading velvet		
USE	curtains		
CARE INSTRUCTIONS			
CERTIFICATIONS		 naval certification	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	€ 116,90	
CLASSE 1 (EU)	UNE EN 1101-13772-13773		
FTP (IMO)	CODE 2010, PART 7		
M1 (FR)	NFP 92-503		
B1 (D)	DIN 4102		
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1		
BS (UK)	BS 5867-2:2008 TYPE B		




OUTLET

E




WIDTH	cm 140 approx. - inch 55 approx.	ELBA G132	 natural fabric
COMPOSITION	100% CO		
WEIGHT	g-mq 650		
ROLL LENGTH	mtl 40 approx.		
SHRINKAGE	+/- 6%		
PILLING	4/5		
MARTINDALE cycles	> 30.000		
TYPE	fabric		
USE	complements - curtains - upholstery - decorations		
CARE INSTRUCTIONS			
		€ 85,90	








OUTLET






ELEGANT NF094   fire proof € 111,20	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	50% PL TREVIRA CS - 50% PL
	WEIGHT	g-mq 40
	ROLL LENGTH	mtl 50 approx.
	SHRINKAGE	+/- 1%
	TYPE	pongè curtain
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	M1 (FR)	NFP 92-503
	FTP (IMO)	CODE 2010, PART 7
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B	








ETOILE NF062/01 NF062/02  fire proof  naval certification € 45,30	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	51% PL FR - 49% PL
	WEIGHT	g-mq 105
	ROLL LENGTH	mtl 35 approx.
	SHRINKAGE	+/- 1%
	TYPE	etamine
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B	

OUTLET

ETOILE COLOUR  fire proof  naval certification € 45,70	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	51% PL FR - 49% PL
	WEIGHT	g-mq 105
	ROLL LENGTH	mtl 35 approx.
	SHRINKAGE	+/- 1%
	TYPE	etamine
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B	

WIDTH	cm 330 approx. - inch 129 approx.	FAVIGNANA H038  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 110	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
REPEAT	cm ↑ 235,5 ↔ 90	
TYPE	printed curtain	
USE	curtains	
PATTERN DIRECTION		€ 153,60
CARE INSTRUCTIONS	    	

WIDTH	cm 140 approx. - inch 55 approx.	FIESOLE G248  recycled
COMPOSITION	15% CO GRS - 29% CO - 19% VI - 4% LI 8% PC - 7% WO - 15% PL GRS - 3% PL	
WEIGHT	g-mq 514	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
PILLING	3/4	
MARTINDALE cycles	> 30.000	
TYPE	yarn dyed fabric	
USE	upholstery - complements - decorations	€ 97,90
CARE INSTRUCTIONS	   	

WIDTH	cm 330 approx. - inch 129 approx.	FILICUDI H034  natural fabric
COMPOSITION	70% LI - 30% PL	
WEIGHT	g-mq 138	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 3%	
TYPE	stripe effect curtain	
USE	curtains	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	

OUTLET

FIRENZE
G238

natural fabric

€ 95,20

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	93% CO - 7% PL
WEIGHT	g-mq 490
ROLL LENGTH	mtl 30 approx.
SHRINKAGE	+/- 1%
PILLING	4
MARTINDALE cycles	> 30.000
TYPE	velvet
USE	upholstery - curtains - complements - decorations
CARE INSTRUCTIONS	
This fabric can be dyed with a special colour for a minimum quantity of 100 lms.	





NEW

FLASH
NF265

fire proof

€ 145,20

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	100% PL TREVIRA CS
WEIGHT	g-mq 257
ROLL LENGTH	mtl 35 approx.
SHRINKAGE	+/- 1%
REPEAT	↑7 ↔7
PILLING	4
MARTINDALE cycles	> 20.000
TYPE	Jacquard fabric
USE	upholstery - curtains - complements
PATTERN DIRECTION	
LIGHT FASTNESS	≥ 5
CARE INSTRUCTIONS	
CERTIFICATIONS	
BS (UK)	BS 5852 - Schedule 4 part 1 (cigarette test)
BS (UK)	BS 5852 - Schedule 5 part 1 (match test)
CALIFORNIAN TEST (USA)	TB 117:2013 + 2015 SECTION 1
CLASS 1 IM (IT)	UNI 9175/1987
EUROPE (EU)	EN 1021 - 1 (cigarette test)
EUROPE (EU)	EN 1021 - 2 (match test)

WIDTH	cm 140 approx. - inch 55 approx.	
COMPOSITION	100% PL FR	
WEIGHT	g-mq 500	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1%	
REPEAT cm		
	NF124S3	NF124S2
	↑32 ↔17,5	↑2,5 ↔2,5
MARTINDALE cycles	> 40.000	
TYPE	printed velvet	
USE	upholstery - curtains - complements - decorations	
PATTERN DIRECTION		
LIGHT FASTNESS	4/5	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
CLASSE 1 IM (IT)	UNI 9175	
FTP (IMO)	CODE 2010, PART 8	
M1 (FR)	NFP 92-503	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	
This velvet can be dyed with special colours for a minimum quantity of 100 lms. It is possible to print other designs from our historical archive for a minimum of 40 lms.		
		 fire proof  naval certification
		€ 120,30



NEW

FLORIDA COLLECTION

DAMASCO
NF124S3

MIGNON
NF124S2

F

WIDTH	cm 140 approx. - inch 55 approx.	
COMPOSITION	100% PL + synthetic padding	
WEIGHT	g-mq 375	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1%	
PILLING	5	
MARTINDALE cycles	> 100.000	
TYPE	embossed velvet	
USE	complements - upholstery* - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
*this item is not recommended for seat upholstery.		
		<p>€ 141,90</p>

OUTLET







FLOU COLLECTION

GOFFRATO
G078

OUTLET

FLOU
COLLECTIONLISCIO
G076






€ 81,90

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	100% PL
WEIGHT	g-mq 515/535
ROLL LENGTH	mtl 50 approx.
SHRINKAGE	+/- 0,5%
PILLING	5
MARTINDALE cycles	> 100.000
TYPE	glossy plain velvet
USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	    
	<i>Dyed with recycled water</i>

FODERA
NF215

fire proof







€ 48,50








WIDTH	cm 300 approx. - inch 118 approx.
COMPOSITION	100% PL
WEIGHT	g-mq 110
ROLL LENGTH	mtl 30 approx.
TYPE	curtain
USE	slipcover - curtains
CARE INSTRUCTIONS	    
CERTIFICATIONS	
CLASSE 1 (EU)	UNE EN 1101 - 13772 - 13773







FORESTA
BOREALE
H039






natural fabric

€ 129,60

WIDTH	cm 330 approx. - inch 129 approx.
COMPOSITION	100% LI
WEIGHT	g-mq 110
ROLL LENGTH	mtl 30 approx.
SHRINKAGE	+/- 4%
REPEAT	cm ↑150 ↔90
TYPE	printed curtain
USE	curtains
PATTERN DIRECTION	
CARE INSTRUCTIONS	    

WIDTH	cm 140 approx. - inch 55 approx.	FORTE DEI MARM G216  recycled  natural fabric
COMPOSITION	100% RECYCLED COTTON	
WEIGHT	g-mq 400	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
PILLING	4	
MARTINDALE cycles	> 35.000	
TYPE	plain fabric	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS	    	
This fabric can be dyed with a special colour for a minimum quantity of 100 lms.		€ 65,00

WIDTH	cm 300 approx. - inch 118 approx.	FULL MOON NF042  fire proof
COMPOSITION	100% PL FR	
WEIGHT	g-mq 280	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1,5%	
PILLING	4/5	
MARTINDALE cycles	> 35.000	
TYPE	dimout shading	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
CLASSE 1 (EU)	UNE EN 1101-13772-13773	
M1 (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
		€ 72,50

WIDTH	cm 140 approx. - inch 55 approx.	GAIOLE G318  natural fabric
COMPOSITION	45% PC - 22% VI - 22% CO - 11% LI	
WEIGHT	g-mq 650	
ROLL LENGTH	mtl 25 approx.	
PILLING	5	
MARTINDALE cycles	> 30.000	
TYPE	wavy Jacquard fabric	
USE	upholstery - complements - decorations	
CARE INSTRUCTIONS	   	

OUTLET

F
G

INDOOR&OUTDOOR

**GAZEBO
NF075**

fire proof



indoor&outdoor

€ 46,20

WIDTH	cm 320 approx. - inch 126 approx.
COMPOSITION	52% PL FR - 48% PL
WEIGHT	g-mq 105
ROLL LENGTH	mtl 30 approx.
SHRINKAGE	+/- 1%
PILLING	4/5
TYPE	outdoor curtain
USE	curtains
CARE INSTRUCTIONS	
CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174

**GIGLIO
H033**

natural fabric

€ 182,60

WIDTH	cm 330 approx. - inch 129 approx
COMPOSITION	70% LI - 30% PL
WEIGHT	g-mq 138
ROLL LENGTH	mtl 40 approx.
SHRINKAGE	+/- 3%
REPEAT	cm ↓ 27 ↔ 67
TYPE	devorè curtain
USE	curtains
PATTERN DIRECTION	
CARE INSTRUCTIONS	

**GRIS
G243S2**

natural fabric

€ 110,50

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	100% CO
WEIGHT	g-mq 550
ROLL LENGTH	mtl 30 approx.
SHRINKAGE	+/- 3%
REPEAT	cm ↓ 64 ↔ 35
PILLING	4
MARTINDALE cycles	> 25.000
TYPE	printed cotton
USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION	
CARE INSTRUCTIONS	

WIDTH	cm 140 approx. - inch 55 approx.		
COMPOSITION - G195 - G196 - G197 - G198	43% LI - 32% JU - 22% VI - 3% PA		
COMPOSITION - G199	38% LI - 37% CO - 20% VI - 3%PA - 2% PL		
WEIGHT	g-mq 568		
ROLL LENGTH	mtl 30 approx.		
SHRINKAGE	+/- 3%		
PILLING	3		
MARTINDALE cycles	> 25.000		
REPEAT cm			
	G195	G196	G198
	↕46 ↔44	↔35	↕9 ↔7
TYPE	Jacquard fabric		
USE	complements - upholstery - decorations		
PATTERN DIRECTION			
CARE INSTRUCTIONS			

I MEDICI COLLECTION

ALESSANDRO G199

CATERINA G195

COSIMO G196

ELEONORA G198

LORENZO G197

natural fabric

€ 114,20

WIDTH	cm 330 approx. - inch 129 approx.		
COMPOSITION	90% PL TREVIRA CS - 10% PL FR		
WEIGHT	g-mq 117		
ROLL LENGTH	mtl 35/45 approx.		
SHRINKAGE	+/- 2%		
TYPE	Taffetà		
USE	bedcover - complements - curtains - decorations		
CARE INSTRUCTIONS			
CERTIFICATIONS			
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174		
FTP (IMO)	CODE 2010, PART 7		
MI (FR)	NFP 92-503		
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1		
B1 (D)	DIN 4102		
BS (UK)	BS 5867-2:2008 TYPE B		









IRIDE NF127

fire proof






naval certification







€ 117,40







Custom stripes can be done on this fabric for a minimum quantity of 100 lms.





IRIS G203S2   natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 550
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 3%
	REPEAT	cm ↑140 ↔140
	PILLING	4
	MARTINDALE cycles	> 25.000
	TYPE	printed cotton
	USE	complements - curtains - upholstery - decorations
€ 110,50	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
		<i>Hand painted</i>







NEW






ISIDE & OSIRIDE G267	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	44% PES - 42% VI - 14% SE
	WEIGHT	g-mq 374
	ROLL LENGTH	mtl 40 approx.
	REPEAT	cm ↓44 ↔35
	PILLING	4/5
	MARTINDALE cycles	> 10.000
	TYPE	Jacquard fabric
	USE	complements - curtains - decorations
	€ 243,00	PATTERN DIRECTION
LIGHT FASTNESS		≥ 5
	CARE INSTRUCTIONS	    

ITACA COLLECTION CRETA H050  natural fabric	WIDTH	cm 340 approx. - inch 133,5 approx.	
	COMPOSITION	100% LI	
	WEIGHT	g-mq 280	
	ROLL LENGTH	mtl 30 approx.	
	SHRINKAGE	+/- 4%	
	TYPE	medium weight curtain	
	USE	curtains	
	€ 120,30	CARE INSTRUCTIONS	    

WIDTH	cm 300 approx. - inch 118 approx.	ITACA COLLECTION MILO H051  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 280	
ROLL LENGTH	mtl 30/35 approx.	
SHRINKAGE	+/- 2%	
TYPE	medium weight wrinkled curtain	
USE	curtains	
CARE INSTRUCTIONS	    	
		€ 137,10









WIDTH	cm 320 approx. - inch 126 approx.	JARDIN H052
COMPOSITION	30% LI - 20% PC - 10% WP - 40% WO	
WEIGHT	g-mq 217	
ROLL LENGTH	mtl 28 approx.	
SHRINKAGE	+/- 0,5%	
REPEAT	cm ↑75 ↔32	
TYPE	embroidered curtain	
USE	curtains	
CARE INSTRUCTIONS	   	
		€ 216,70







WIDTH	cm 330 approx. - inch 129 approx.	LAMPEDUSA COLLECTION H007 - H008 H009  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 155	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 3%	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	    	
		€ 84,40







WIDTH	cm 320 approx. - inch 126 approx.	LEVANZO H046  natural fabric
COMPOSITION	40% WO - 40% LI - 20% PC	
WEIGHT	g-mq 119	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 0,2/0,4%	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	   	
		€ 119,00

I
J
L

OUTLET

LIGHT NF101   fire proof € 101,50	WIDTH	cm 300 approx. - inch 118 approx.
	COMPOSITION	100% PL TREVIRA CS
	WEIGHT	g-mq 51
	ROLL LENGTH	mtl 50 approx.
	REPEAT	cm ↓2,5 ↔1
	TYPE	lightweight curtain
	USE	curtains
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
MI (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	

LINO FIRE NF081  fire proof € 106,20	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	95% PL FR - 5% PL
	WEIGHT	g-mq 80
	ROLL LENGTH	mtl 40 approx.
	TYPE	lightweight curtain
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	MI (FR)	NFP 92-503
BS (UK)	BS 5867-2:2008 TYPE B	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	

LINOSA H048  natural fabric € 183,20	WIDTH	cm 300 approx. - inch 118 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 133
	ROLL LENGTH	mtl 40 ca.
	SHRINKAGE	+/- 1,5%
	TYPE	lightweight curtain
	USE	curtains
	CARE INSTRUCTIONS	    







WIDTH	cm 300 approx. - inch 118 approx.	LIPARI COLLECTION H001 - H002 H003
COMPOSITION	50% LI - 50% PL	
WEIGHT	g-mq 115	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
TYPE	lightweight curtain	
USE	curtains	€ 96,20
CARE INSTRUCTIONS		

WIDTH	cm 140 approx. - inch 55 approx.	LIVIGNO G174
COMPOSITION	57% VI - 21% PL - 15% CO - 7% LI	
WEIGHT	g-mq 550	
ROLL LENGTH	mtl 50 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 26.500	 natural fabric
TYPE	fake plain fabric	
USE	upholstery - complements - decorations	€ 108,00
CARE INSTRUCTIONS		









OUTLET






WIDTH	cm 140 approx. - inch 55 approx.	LOFT COLLECTION SCREZIATO G127
COMPOSITION	66% VI - 15% PL - 12% CO - 5% LI - 2% PA	
WEIGHT	g-mq 496	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1%	
REPEAT	cm ↑103 ↔35	
PILLING	4/5	 natural fabric
MARTINDALE cycles	> 33.500	
TYPE	Jacquard velvet	€ 153,90
USE	upholstery - complements - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	
This velvet can be flame-retardant backcoated for a minimum quantity of 100 lms.		




L

LOFT COLLECTION UNITO G129  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	62% VI - 19% CO - 8% LI - 10% PL - 1% PA
	WEIGHT	g-mq 324
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	PILLING	5
	MARTINDALE cycles	> 25.000
	TYPE	plain fabric
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	    
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	
€ 117,60	This velvet can be flame-retardant backcoated for a minimum quantity of 100 lms.	








OUTLET









LOOM NF099   fire proof	WIDTH	cm 320 approx. - inch 126 approx.
	COMPOSITION	100% PL TREVIRA CS
	WEIGHT	g-mq 165
	ROLL LENGTH	mtl 35 approx
	REPEAT	cm ↓30 ↔60
	TYPE	lightweight curtain
	USE	curtains
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
M1 (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
€ 228,90		








WIDTH	cm 140 approx. - inch 55 approx.	LOUIS G066S2 
COMPOSITION	51% PL TREVIRA CS - 49% PL	
WEIGHT	g-mq 277	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
PILLING	3/4	
MARTINDALE cycles	> 40.000	
REPEAT	cm ↑35 ↔35	
TYPE	printed satin	
USE	complements - curtains - upholstery - decorations	
PATTERN DIRECTION		 fire proof
CARE INSTRUCTIONS		
CERTIFICATIONS		 naval certification
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
FTP (IMO)	CODE 2010, PART 8	
MI (FR)	NFP 92-503	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	€ 94,90
<i>Hand painted</i>		






WIDTH	cm 300 approx. - inch 118 approx.	LUCE G066 
COMPOSITION	51% PL TREVIRA CS - 49% PL	
WEIGHT	g-mq 277	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
PILLING	3/4	
MARTINDALE cycles	> 40.000	
TYPE	plain satin	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS		
CERTIFICATIONS		 fire proof
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
FTP (IMO)	CODE 2010, PART 8	
MI (FR)	NFP 92-503	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	€ 94,00







OUTLET








LUNA NF103   fire proof € 122,00	WIDTH	cm 300 approx. - inch 118 approx.
	COMPOSITION	100% PL TREVIRA CS
	WEIGHT	g-mq 75
	ROLL LENGTH	mtl 50 approx.
	TYPE	lightweight curtain
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	M1 (FR)	NFP 92-503
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5867-2:2008 TYPE B	

MAGNOLIA G203S1   natural fabric € 110,50	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 550
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 3%
	REPEAT	cm ↓35 ↔35
	PILLING	4
	MARTINDALE cycles	> 25.000
	TYPE	printed cotton
	USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	
	<i>Hand painted</i>	

MANAROLA G222  natural fabric € 87,70	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	57% CO - 22% VI - 10% AC - 8% LI - 3% NY
	WEIGHT	g-mq 286
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	warp +/- 8% weft +/- 2%
	REPEAT	cm ↔7
	PILLING	4
	MARTINDALE cycles	> 20.000
	TYPE	Jacquard cotton
	USE	complements - upholstery - decorations
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	

WIDTH	cm 140 approx. - inch 55 approx.	MAREMMA COLLECTION MANCIANO G290 PITIGLIANO G271 SATURNIA G293 SORANO G291
COMPOSITION	25% VI - 23% WO - 19% CO - 16% PC - 13% LI 4% PL	
WEIGHT	g-mq 543	
ROLL LENGTH	mtl 35 approx.	
SHRINKAGE	dry wash +/- 2% machine water +/- 5%	
PILLING	2/3	
MARTINDALE cycles	> 75.000	
USE	upholstery - complements - decorations	€ 93,70
CARE INSTRUCTIONS	    	

WIDTH	cm 330 approx. - inch 129 approx.	MARETTIMO H047  natural fabric
COMPOSITION	70% SE - 20% VI - 10% PL	
WEIGHT	g-mq 72	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	    	€ 147,10

WIDTH	cm 280 approx. - inch 110 approx.	MATELASSÉ COLLECTION GOCCIA G150 FIORE G151  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 480	
ROLL LENGTH	mtl 20 approx.	
SHRINKAGE	+/- 4%	
REPEAT - G150	cm ↓ 28 ↔ 35	
REPEAT - G151	cm ↓ 50 ↔ 25	
PILLING	4	
MARTINDALE cycles	> 33.500	
TYPE	matelassé fabric	
USE	bedcover - complements - upholstery - decorations	€ 140,10
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	

OUTLET

**MEGÈVE
G292****€ 163,60**

WIDTH	cm 140 approx. - inch 55 approx.
COMPOSITION	32% CO - 23% WO - 19% PL - 13% PA - 10% VI - 3% PC
WEIGHT	g-mq 500
ROLL LENGTH	mtl 30 approx.
SHRINKAGE	dry wash +/- 2% machine wash +/- 5%
PILLING	3/4
MARTINDALE cycles	> 35.000
TYPE	patterned fabric
USE	upholstery - complements - decorations
CARE INSTRUCTIONS	

OUTLET**METAL
NF102**

fire proof

€ 101,40







WIDTH	cm 310 approx. - inch 122 approx.
COMPOSITION	100% PL TREVIRA CS
WEIGHT	g-mq 65
ROLL LENGTH	mtl 50 approx.
TYPE	lightweight curtain
USE	curtains
CARE INSTRUCTIONS	
CERTIFICATIONS	
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
MI (FR)	NFP 92-503
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B

INDOOR&OUTDOOR**MIAMI
COLLECTION
PIED DE
POULE
Q001
RIGA
Q002
CUBO
Q003
LABIRINTO
Q004
CORDA
Q005**








indoor&outdoor

€ 73,50







WIDTH	cm 140 approx. - inch 55 approx.				
COMPOSITION	100% PP				
WEIGHT	g-mq 332				
ROLL LENGTH	mtl 25 approx.				
SHRINKAGE	+/- 1/3%				
PATTERN DIRECTION					
PILLING	4/5				
MARTINDALE cycles	> 25.000				
REPEAT cm					
	Q001	Q002	Q003	Q004	Q005
	↑1 ↔1	↔2,8	↑18 ↔17	↑3 ↔2,5	↑4 ↔3,5
TYPE	indoor&outdoor fabric				
USE	complements - curtains - upholstery - decorations				
CARE INSTRUCTIONS					

WIDTH	cm 140 approx. - inch 55 approx.	MIAMI COLLECTION UNITO Q006  indoor&outdoor
COMPOSITION	100% PP	
WEIGHT	g-mq 250	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1/3%	
PILLING	4/5	
MARTINDALE cycles	> 40.000	
TYPE	indoor&outdoor fabric	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS	    	
		€ 70,00

INDOOR&OUTDOOR

WIDTH	cm 140 approx. - inch 55 approx.	MIAMI COLLECTION DAMASCO Q009 GEOMETRICO Q010  indoor&outdoor
COMPOSITION	78% PP - 22% PL	
WEIGHT	g-mq 440	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1%	
PILLING	4/5	
REPEAT - Q009	cm ↓22,5 ↔17,5	
REPEAT - Q010	cm ↓3 ↔0,5	
MARTINDALE cycles	> 25.000	
TYPE	indoor&outdoor fabric	
USE	complements - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	
		€ 98,90

INDOOR&OUTDOOR

WIDTH	cm 150 approx. - inch 59 approx.	MIAMI COLLECTION SAINT FLORENT SAB SACH SAM SACS SASP  indoor&outdoor
COMPOSITION	100% CO	
WEIGHT	g-mq 550	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 7.000	
TYPE	terry	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS	    	
SAB - WHITE		€ 81,20
SACH - LIGHT COLOURS		€ 89,20
SAM - MEDIUM COLOURS		€ 92,10
SACS - DARK COLOURS		€ 101,80
SASP - SPECIAL COLOURS		€ 129,50

INDOOR&OUTDOOR



INDOOR&OUTDOOR

MIAMI
COLLECTIONGAZEBO
NF075

fire proof



indoor&outdoor

€ 46,20

WIDTH cm 320 approx. - inch 126 approx.

COMPOSITION 52% PL FR - 48% PL

WEIGHT g-mq 105

ROLL LENGTH mtl 30 approx.

SHRINKAGE +/- 1%

TYPE outdoor curtain

USE curtains

CARE INSTRUCTIONS

CERTIFICATIONS

CLASSE 1 (IT) UNI 9176+UNI 8456+UNI9174

MIKADO
NF228

fire proof



recycled

€ 138,60

WIDTH cm 140 approx. - inch 55 approx.

COMPOSITION PILE 100% POLYESTER FR RECYCLED
100% PL FR

WEIGHT g-mq 375

ROLL LENGTH mtl 25 approx.

SHRINKAGE +/- 1%

PILLING 4/5

MARTINDALE cycles > 50.000

TYPE Jacquard velvet

USE complements - upholstery - decorations

CARE INSTRUCTIONS

CERTIFICATIONS

CLASSE 1 IM (IT) UNI 9175

CALIFORNIAN TEST (USA) TB 117:2013 SECTION 1

BS (UK) BS 5852:2006 - SOURCE 0, 1

OUTLET

MILL
NF100

fire proof

€ 137,00

WIDTH cm 300 approx. - inch 118 approx.

COMPOSITION 100% PL TREVIRA CS

WEIGHT g-mq 125

ROLL LENGTH mtl 40 approx.

REPEAT cm ↓ 35 ↔ 35

TYPE lightweight curtain

USE curtains

CARE INSTRUCTIONS




CERTIFICATIONS

CLASSE 1 (IT) UNI 9176+UNI 8456+UNI9174

M1 (FR) NFP 92-503



BS (UK) BS 5867-2:2008 TYPE B



CALIFORNIAN TEST (USA) TB 117:2013 SECTION 1



WIDTH	cm 140 approx. - inch 55 approx.	MOIRÉ NF124S1  fire proof  certificazione navale
COMPOSITION	100% PL FR	
WEIGHT	g-mq 500	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 1%	
REPEAT	cm ↑30,5 ↔24	
MARTINDALE cycles	> 40.000	
TYPE	printed velvet	
USE	upholstery - curtains - complements - decorations	
PATTERN DIRECTION		
LIGHT FASTNESS	4/5	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
CLASSE 1 IM (IT)	UNI 9175	
FTP (IMO)	CODE 2010, PART 8	
MI (FR)	NFP 92-503	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	
<p>This velvet can be dyed with special colours for a minimum quantity of 100 lms.</p> <p>It is possible to print other designs from our historical archive for a minimum of 40 lms.</p>		€ 120,30

NEW



M









WIDTH	cm 150 approx. - inch 59 approx.	MOLLA NF210  fire proof stretched
COMPOSITION	91% PL - 9% EA	
WEIGHT	g-mq 260	
ROLL LENGTH	mtl 50 approx.	
PILLING	4/5	
MARTINDALE cycles	> 40.000	
TYPE	elastic fabric	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE 0, 1	

MOLLA ACCOPPIATO NF218  fire proof stretched	WIDTH	cm 150 approx - inch 59 approx.
	COMPOSITION	91% PL - 9% EA
	WEIGHT	g-mq 340
	ROLL LENGTH	mtl 50 approx.
	PILLING	4/5
	MARTINDALE cycles	> 40.000
	TYPE	elastic fabric
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
CLASSE 1 IM (IT)	UNI 9175	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE O, 1	
€ 69,80		








MONTEPULCIANO G309  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	35% WV - 30% PC - 15% VI - 11% LI - 9% PL
	WEIGHT	g-mq 964
	ROLL LENGTH	mtl 20 ca.
	PILLING	3/4
	MARTINDALE cycles	> 35.000
	TYPE	Jacquard fabric
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	
€ 190,80		

NEW






MONTERIGGIONI G268  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	27% PC - 25% WO - 18%VI - 18% CO - 9% LI - 3% PL
	WEIGHT	g-mq 770
	ROLL LENGTH	mtl 25 ca.
	PILLING	3/4
	MARTINDALE cycles	> 30.000
	TYPE	fabric
	USE	complements - upholstery
	LIGHT FASTNESS	≥ 5
	CARE INSTRUCTIONS	
€ 113,50	This fabric can be flame-retardant coated on the back for a minimum quantity of 100 lms.	











WIDTH	cm 140 approx. - inch 55 approx.	<p>MONTMARTRE NF079S7</p>   <p>fire proof</p>  <p>naval certifications</p> <p>€ 114,80</p>
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 314	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 1%	
PILLING	3	
MARTINDALE cycles	> 50.000	
REPEAT	cm ↓ 52 ↔ 35	
TYPE	printed velvet	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
FTP (IMO)	CODE 2010, PART 7	
M1 (FR)	NFP 92-503	
B1 (D)	DIN 4102	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE O, 1	
BS (UK)	BS 5867-2:2008 TYPE B	






OUTLET

WIDTH	cm 140 approx. - inch 55 approx.	<p>MORRIS G077S1</p>  <p>natural fabric</p> <p>€ 134,50</p>
COMPOSITION	100% LI	
WEIGHT	g-mq 450	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
REPEAT	cm ↓ 103 ↔ 67	
PILLING	4	
MARTINDALE cycles	> 33.500	
TYPE	printed fabric	
USE	complements - curtains - upholstery - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	
<i>Hand painted</i>		

OUTLET




MURANO H054  natural fabric	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	50% PL - 30% PC - 20% WO
	WEIGHT	g-mq 151
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 0,2/0,4%
	TYPE	striped curtain with paillettes
	USE	curtains
€ 137,20	CARE INSTRUCTIONS	   



NATURAL FIRE NF090   fire proof  naval certification  natural fabric  hypoallergenic	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 119
	ROLL LENGTH	mtl 35 approx.
	SHRINKAGE	+/- 1,5%
	TYPE	lightweight curtain
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
M1 (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
FTP (IMO)	CODE 2010, PART 7	
€ 139,10	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1

NOTHING NF245  fire proof	WIDTH	cm 290 approx. - inch 114 approx.
	COMPOSITION	100% PL
	WEIGHT	g-mq 280
	ROLL LENGTH	mtl 30/35 approx.
	SHRINKAGE	+/- 1%
	TYPE	blackout shading
	USE	curtains
CARE INSTRUCTIONS	   	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
CLASSE 1 (EU)	UNE EN 1101-13772-13773	
FTP (IMO)	CODE 2010, PART 7	
white € 43,40 colour € 46,30		

WIDTH	cm 325 approx. - inch 128 approx.	OFELIA H058  natural fabric
COMPOSITION	70% LI - 20 % WO - 10% WP	
WEIGHT	g-mq 159	
ROLL LENGTH	mtl 35 approx.	
SHRINKAGE	+/- 1%	
REPEAT	cm ↔ 38	
TYPE	Jacquard fabric	
USE	curtains	
LIGHT FASTNESS	4/5	
PATTERN DIRECTION		
CARE INSTRUCTIONS		€ 141,80

NEW



WIDTH	cm 330 approx. - inch 129 approx.	PALMAROLA H031  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 103	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
REPEAT	cm ↔ 63	
TYPE	curtain	
USE	curtains - decorations	
PATTERN DIRECTION		
CARE INSTRUCTIONS		



WIDTH	cm 320 approx. - inch 126 approx.	PANAREA COLLECTION H004 - H005 H006  natural fabric	
COMPOSITION	100% LI		
WEIGHT	g-mq 175		
ROLL LENGTH	mtl 40 approx.		
SHRINKAGE	+/- 4%		
TYPE	curtain		
USE	curtains - decorations		
CARE INSTRUCTIONS			€ 121,70

OUTLET




O
P



NEW



PANZANO G260  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	29% CO - 28% LI - 26%VI - 10% PC - 4% WO - 3% PA
	WEIGHT	g-mq 750
	ROLL LENGTH	mtl 30 approx.
	PILLING	3/4
	MARTINDALE cycles	> 30.000
	TYPE	Jacquard fabric
	USE	complements - upholstery
	LIGHT FASTNESS	≥ 5
	CARE INSTRUCTIONS	
€ 108,00	This fabric can be flame-retardant backcoated for a minimum quantity of 100 lms.	



PIANOSA G183  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 950
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 30.000
	TYPE	plain fabric
	USE	complements - curtains - upholstery - decorations
	CARE INSTRUCTIONS	
€ 144,60		







OUTLET








PICASSO G077S2  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 450
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 3%
	REPEAT	cm ↓ 67 ↔ 43
	PILLING	4
	MARTINDALE cycles	> 33.500
	TYPE	printed fabric
	USE	complements - curtains - upholstery - decorations
PATTERN DIRECTION		
CARE INSTRUCTIONS		
€ 134,50	<i>Hand painted</i>	

WIDTH	cm 140 approx. - inch 55 approx.	PIENZA G220  natural fabric
COMPOSITION	33% PL - 23% CO - 22% WO - 22% PC	
WEIGHT	g-mq 479	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	3	
MARTINDALE cycles	> 30.000	
TYPE	plain bouclè fabric	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS		
This fabric can be flame-retardant backcoated for a minimum quantity of 100 lms.		€ 92,40









WIDTH	cm 140 approx. - inch 55 approx.	PONTE VECCHIO COLLECTION RIGA CLG109 FIORE CLG110 DAMASCO CLG111 SCREZIATO CLG112	
COMPOSITION	100% PL		
WEIGHT	g-mq 235		
ROLL LENGTH	mtl 30 approx.		
SHRINKAGE	+/- 1%		
PATTERN DIRECTION			
PILLING	5		
MARTINDALE cycles	> 35.000		
REPEAT cm			
CLG109	CLG110		CLG111
↔ 18	↑45 ↔35	↑35 ↔35	↑69 ↔35
USE	complements - curtains - upholstery - decorations	€ 62,80	
CARE INSTRUCTIONS			






WIDTH	cm 330 approx. - inch 129 approx.	PONZA H030  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 103	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
REPEAT	cm ↔21	
TYPE	striped curtain	
USE	curtains	
CARE INSTRUCTIONS		








PORTOFINO COLLECTION UNITO H016 - H017 H018  natural fabric € 128,30	WIDTH	cm 310 approx. - inch 122 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 80
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 4%
	TYPE	gauze curtain
	USE	curtains
CARE INSTRUCTIONS	    	









PORTOFINO COLLECTION RIGA H019  natural fabric € 131,80	WIDTH	cm 310 approx. - inch 122 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 95
	ROLL LENGTH	mtl 30 approx.
	REPEAT	cm ↔ 45
	SHRINKAGE	+/- 4%
	TYPE	striped gauze curtain
USE	curtains	
PATTERN DIRECTION		
CARE INSTRUCTIONS	    	

INDOOR&OUTDOOR

POSITANO Q028  indoor&outdoor  water repellent € 110,70	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL
	WEIGHT	g-mq 1000
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 0,5%
	PILLING	4/5
	MARTINDALE cycles	> 40.000
TYPE	Jacquard fabric	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS	     	

WIDTH	cm 330 approx. - inch 129 approx.	PROCIDA H056  natural fabric
COMPOSITION	30% WO - 10% WP - 40% PL - 20% PC	
WEIGHT	g-mq 81	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 0,2/0,4%	
TYPE	striped curtain	
USE	curtains	
CARE INSTRUCTIONS	   	€ 93,30

WIDTH	cm 300 approx. - inch 118 approx.	RAIN NF098   fire proof
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 85	
ROLL LENGTH	mtl 50 approx.	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		€ 104,20
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
MI (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	









WIDTH	cm 140 approx. - inch 55 approx.	RIALTO NF079S8   fire proof
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 314	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 1%	
PILLING	3	
MARTINDALE cycles	> 50.000	
REPEAT	cm ↑7,5 ↔7	
TYPE	printed velvet	 naval certification
USE	complements - curtains - upholstery - decorations	€ 114,80
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
FTP (IMO)	CODE 2010, PART 7	
MI (FR)	NFP 92-503	
B1 (D)	DIN 4102	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE 0, 1	
BS (UK)	BS 5867-2:2008 TYPE B	

OUTLET









OUTLET

P
R









RISIKO NF229  fire proof  recycled	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	PILE 100% POLYESTER FR RECYCLED 100% PL FR
	WEIGHT	g-mq 375
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	PILLING	4/5
	MARTINDALE cycles	> 50.000
	TYPE	Jacquard velvet
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	CLASSE 1 IM (IT) UNI 9175 CALIFORNIAN TEST (USA) TB 117:2013 SECTION 1 BS (UK) BS 5852:2006 - SOURCE 0, 1
	€ 138,60	
SAFARI G243S3  BIONIC FINISH ECO  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 550
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 3%
	REPEAT	cm ↓35 ↔35
	PILLING	4
	MARTINDALE cycles	> 25.000
	TYPE	printed cotton
	USE	complements - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	    
€ 110,50		
INDOOR&OUTDOOR SAINT BARTH COLLECTION SIMONE Q019  water repellent  indoor&outdoor  recycled	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	94% PP - 6% PL
	WEIGHT	g-mq 429
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1/2%
	PILLING	4/5
	MARTINDALE cycles	> 25.000
	TYPE	outdoor
	USE	complements - upholstery
	CARE INSTRUCTIONS	    
	€ 85,40	Water repellent fabric

WIDTH	cm 140 approx. - inch 55 approx.	SAINT BARTH COLLECTION DONATA Q020  water repellent  indoor&outdoor  recycled
COMPOSITION	88% PP - 12% PL RPET	
WEIGHT	g-mq 532	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1/2%	
PILLING	4	
MARTINDALE cycles	> 25.000	
TYPE	outdoor	
USE	complements - upholstery	
CARE INSTRUCTIONS	    	
<i>Water repellent fabric</i>		€ 93,70

INDOOR&OUTDOOR









WIDTH	cm 140 approx. - inch 55 approx.	SAINT BARTH COLLECTION DANILO Q021  water repellent  indoor&outdoor  recycled
COMPOSITION	73% PP - 17% RPET - 10% PL	
WEIGHT	g-mq 511	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1/2%	
PILLING	4	
MARTINDALE cycles	> 40.000	
TYPE	outdoor	
USE	complements - upholstery	
CARE INSTRUCTIONS	    	
<i>Water repellent fabric</i>		€ 93,70

INDOOR&OUTDOOR









WIDTH	cm 140 approx. - inch 55 approx.	SAINT BARTH COLLECTION VERA Q022  water repellent  indoor&outdoor  recycled
COMPOSITION	97% PP - 3% PL	
WEIGHT	g-mq 456	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1/2%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	outdoor	
USE	complements - upholstery	
CARE INSTRUCTIONS	    	
<i>Water repellent fabric</i>		€ 93,70

INDOOR&OUTDOOR









INDOOR&OUTDOOR







SAINT BARTH COLLECTION LEONARDO Q023  water repellent  indoor&outdoor  recycled	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	94% PP - 6% PL
	WEIGHT	g-mq 413
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1/2%
	PILLING	4
	MARTINDALE cycles	> 25.000
	TYPE	outdoor
	USE	complements - upholstery
	CARE INSTRUCTIONS	    
		<i>Water repellent fabric</i>
€ 87,30		








INDOOR&OUTDOOR







SAINT BARTH COLLECTION NICCOLÒ Q024  water repellent  indoor&outdoor  recycled	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	88% PP - 12% PL RPET
	WEIGHT	g-mq 542
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1/2%
	PILLING	4
	MARTINDALE cycles	> 30.000
	TYPE	outdoor
	USE	complements - upholstery
	CARE INSTRUCTIONS	    
		<i>Water repellent fabric</i>
€ 93,70		

INDOOR&OUTDOOR



SAINT BARTH COLLECTION MANUELA Q025  water repellent  indoor&outdoor  recycled	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	69% PP - 24% RPET 7% PL
	WEIGHT	g-mq 386
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1/2%
	PILLING	5
	MARTINDALE cycles	> 25.000
	TYPE	outdoor
	USE	complements - upholstery
	CARE INSTRUCTIONS	    
		<i>Water repellent fabric</i>
€ 87,30		

WIDTH	cm 150 approx - inch 59 approx.	SAINT FLORENT COLLECTION SA  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 550	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 7.000	
TYPE	terry	
USE	towels - upholstery - decorations	
CARE INSTRUCTIONS	    	
SAB - WHITE		€ 81,20
SACH - LIGHT COLOUR		€ 89,20
SAM - MEDIUM COLOUR		€ 92,10
SACS - DARK COLOUR		€ 101,80
SASP - SPECIAL COLOUR		€ 129,50

WIDTH	cm 150 approx - inch 59 approx.	SAINT MORITZ G131  recycled  natural fabric
COMPOSITION	70% WO - 25% PA - 5% AF	
WEIGHT	g-mq 400	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 3%	
PILLING	4/5	
MARTINDALE cycles	> 40.000	
TYPE	wool	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS	    	
		€ 72,90

WIDTH	cm 330 approx. - inch 129 approx.	SALINA HO32  natural fabric	
COMPOSITION	85% LI - 15% PL		
WEIGHT	g-mq 101		
ROLL LENGTH	mtl 40 approx.		
SHRINKAGE	+/- 3%		
TYPE	Moirè curtain		
USE	curtains		
CARE INSTRUCTIONS	    		
			€ 137,50

OUTLET


SECRET NF201	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	80% VI - 18% PL - 2% CO
	WEIGHT	g-mq 619
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	PILLING	4/5
	MARTINDALE cycles	> 40.000
	REPEAT	cm ↑4,6 ↔4,4
	PATTERN DIRECTION	
	TYPE	Jacquard velvet
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 IM (IT)	UNI 9175
	FTP (IMO)	CODE 2010, PART 8
MI (FR)	NFP 92-503	
BI (D)	DIN 4102	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	
BS (UK)	BS 5867-2:2008 TYPE B	
FR-treatment is through resin with backcoating of the fabric.		
€ 164,80		



fire proof







naval certification



SELVA H055	WIDTH	cm 320 approx. - inch 126 approx.	
	COMPOSITION	40% WO - 30% VI - 10% WP - 10% PL - 10% PC	
	WEIGHT	g-mq 171	
	ROLL LENGTH	mtl 40 approx.	
	SHRINKAGE	+/- 0,2/0,4%	
	TYPE	patterned curtain	
	USE	curtains	
€ 139,10		CARE INSTRUCTIONS	







natural fabric





WIDTH	cm 330 approx. - inch 129 approx.	SEMPRE NF216  fire proof
COMPOSITION	56% PL FR - 44% PL	
WEIGHT	g-mq 110	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
TYPE	curtain	
USE	curtains	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
		€ 47,10







WIDTH	cm 320 approx. - inch 126 approx.	SFERA H053  fire proof
COMPOSITION	30% LI - 20% PC - 10% WP - 40% WO	
WEIGHT	g-mq 185	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 0,5%	
REPEAT	cm ↓ 56 ↔ 60	
TYPE	fabric	
USE	curtains	
CARE INSTRUCTIONS		








WIDTH	cm 140 approx. - inch 55 approx.	SHAKESPEARE COLLECTION PUNTINATO CLG067 FLOREALE CLG068 RIGATO CLG069
COMPOSITION	47% VI R - 35% VI - 18% PL	
WEIGHT	g-mq 407	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
MARTINDALE cycles	> 25.000	
REPEAT - CLG067	cm ↓ 35 ↔ 50	
REPEAT - CLG068	cm ↓ 35 ↔ 46	
REPEAT - CLG069	cm ↔ 13	
PATTERN DIRECTION		
TYPE	Jacquard velvet	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS		
FR-treatment is through resin with backcoating of the fabric.		€ 153,40

SHANTUNG COLLECTION UNITO NF080  fire proof  naval certification	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	70% PL FR - 30% PL TREVIRA CS
	WEIGHT	g-mq 70
	ROLL LENGTH	mtl 40 approx.
	SHRINKAGE	+/- 2%
	PATTERN DIRECTION	
	TYPE	Shantung curtain
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
BS (UK)	BS 5867-2:2008 TYPE B	
€ 112,40		Custom stripes can be done on this fabric for a minimum quantity of 100 lms.







OUTLET

SHANTUNG COLLECTION RIGATO NF082  fire proof  naval certification	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	70% PL FR - 30% PL TREVIRA CS
	WEIGHT	g-mq 70
	ROLL LENGTH	mtl 40 approx.
	SHRINKAGE	+/- 2%
	REPEAT	cm ↔ 42
	PATTERN DIRECTION	
	TYPE	Shantung curtain
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5867-2:2008 TYPE B	
€ 112,40		Custom stripes can be done on this fabric for a minimum quantity of 100 lms.

WIDTH	cm 140 approx. - inch 55 approx.	SHETLAND G137  natural fabric
COMPOSITION	80% WO - 20% PA	
WEIGHT	g-mq 310	
ROLL LENGTH	mtl 50 approx.	
SHRINKAGE	+/- 1%	
PILLING	3/4	
MARTINDALE cycles	> 80.000	
TYPE	plain wool	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS	    	
		€ 133,70



WIDTH	cm 300 approx. - inch 118 approx.	SHINE NF104   fire proof
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 90	
ROLL LENGTH	mtl 50 ca.	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	


OUTLET

WIDTH	cm 140 approx. - inch 55 approx.	SIENA G233  natural fabric
COMPOSITION	48% CO - 47% VI - 5% LI	
WEIGHT	g-mq 608	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 2%	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
TYPE	plain fabric	
USE	complements - upholstery - decorations	
CARE INSTRUCTIONS	    	
This fabric is dyed with special basket dyeing process. Any colour variations over time or from production to production are not disputable and must be considered an added value of the craftsmanship of this product. It is possible to dye special colours for a minimum of 100 lms.		€ 104,40

S

OUTLET









SMALL CLG113	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	48% VI - 26% CO - 26% PL
	WEIGHT	g-mq 790
	ROLL LENGTH	mtl 25/30 approx.
	SHRINKAGE	+/- 1%
	MARTINDALE cycles	> 25.000
	PATTERN DIRECTION	
TYPE	Jacquard velvet	
€ 112,00	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	







SOFTFIRE NF124	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL FR
	WEIGHT	g-mq 500
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	MARTINDALE cycles	> 40.000
	TYPE	plain velvet wavy
	USE	complements - curtains - upholstery - decorations
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	CLASSE 1 IM (IT)	UNI 9175
	FTP (IMO)	CODE 2010, PART 8
	M1 (FR)	NFP 92-503
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
	CRIB 5 (UK)	BS 5852:2006 - SOURCE 5
	BS (UK)	BS 5867-2:2008 TYPE B
	This velvet can be dyed with special colors for a minimum quantity of 100 lms.	
€ 99,80	This velvet can be transfer or hot-roller printed for a minimum quantity of 40 lms.	











fire proof







naval
certification








WIDTH	cm 140 approx. - inch 55 approx.	SOHO NF079S5 
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 314	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 1%	
PILLING	3	
MARTINDALE cycles	> 50.000	
REPEAT	cm ↓ 52 ↔ 34	
TYPE	printed velvet	
USE	complements - curtains - upholstery - decorations	
CARE INSTRUCTIONS	    	 fire proof
CERTIFICATIONS		 naval certification
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	€ 114,80
FTP (IMO)	CODE 2010, PART 7	
M1 (FR)	NFP 92-503	
B1 (D)	DIN 4102	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE 0, 1	
BS (UK)	BS 5867-2:2008 TYPE B	







WIDTH	cm 300 approx. - inch 118 approx.	SOMETHING NF244  fire proof
COMPOSITION	100% PL	
WEIGHT	g-mq 250	
ROLL LENGTH	mtl 30/35 approx.	
SHRINKAGE	+/- 1%	
TYPE	dimout shading curtains	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	
CLASSE 1 (EU)	UNE EN 1101-13772-13773	

SPITFIRE NF079   fire proof  naval certification	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL TREVIRA CS
	WEIGHT	g-mq 314
	ROLL LENGTH	mtl 40 approx.
	PILLING	4
	MARTINDALE cycles	> 100.000
	TYPE	plain velvet
	USE	complements - curtains - upholstery - decorations
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	FTP (IMO)	CODE 2010, PART 7
	M1 (FR)	NFP 92-503
	B1 (D)	DIN 4102
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
BS (UK)	BS 5852:2006 - SOURCE 0, 1	
BS (UK)	BS 5867-2:2008 TYPE B	
	This velvet can be dyed with special colors for a minimum quantity of 100 lms.	
	This velvet can be transfer or hot-roller printed for a minimum quantity of 40 lms.	
	€ 92,40	







OUTLET







SPLENDID COLLECTION RIGA CLG114 FIORE CLG115  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	48% VI - 26% CO - 26% PL
	WEIGHT	g-mq 790
	ROLL LENGTH	mtl 25/30 approx.
	SHRINKAGE	+/- 1%
	REPEAT - CLG114	cm ↔ 7
	REPEAT - CLG115	cm ↓ 66 ↔ 36
	PILLING	5
	MARTINDALE cycles	> 25.000
	TYPE	Jacquard velvet
	USE	complements - curtains - upholstery - decorations
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	   
		€ 112,00







WIDTH	cm 140 approx. - inch 55 approx.	STREET G179  natural fabric
COMPOSITION	48% VI - 26% CO - 26% PL	
WEIGHT	g-mq 565	
ROLL LENGTH	mtl 25/30 approx.	
SHRINKAGE	+/- 1%	
REPEAT	cm ↑12,5 ↔12,5	
PILLING	4/5	
MARTINDALE cycles	> 25.000	
PATTERN DIRECTION		
TYPE	Jacquard velvet	
USE	complements - upholstery - decorations	€ 92,30
CARE INSTRUCTIONS		
WIDTH	cm 300 approx. - inch 118 approx.	SUNSET NF121  fire proof
COMPOSITION	100% PL FR	
WEIGHT	g-mq 335	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 2%	
PILLING	4/5	
TYPE	dimout shading	
USE	curtains	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	€ 97,50
MI (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
WIDTH	cm 300 approx. - inch 118 approx.	SUPREME NF105   fire proof
COMPOSITION	100% PL TREVIRA CS	
WEIGHT	g-mq 100	
ROLL LENGTH	mtl 50 approx.	
REPEAT	cm ↑ 83 ↔ 95	
PATTERN DIRECTION		
TYPE	Jacquard curtain	
USE	curtains	
CARE INSTRUCTIONS		
CERTIFICATIONS		
CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174	€ 440,70
MI (FR)	NFP 92-503	
BS (UK)	BS 5867-2:2008 TYPE B	
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	







SUVERETO G307  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	60% CO - 10% VI - 28% LI - 2% PA
	WEIGHT	g-mq 785
	ROLL LENGTH	mtl 20 approx.
	PILLING	4
	MARTINDALE cycles	> 30.000
	TYPE	plain fabric
	USE	upholstery - decorations
	CARE INSTRUCTIONS	    
€ 104,90	This fabric can be dyed with special colours for a minimum quantity of 100 mtl.	








OUTLET








TALCO G088  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% PL + PUDDING 100% CO
	WEIGHT	g-mq 520
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	PILLING	5
	MARTINDALE cycles	> 20.000
	TYPE	quilted plain velvet
	USE	complements - curtains - upholstery* - decorations
€ 116,30	CARE INSTRUCTIONS	    
	*this item is not recommended for seat upholstery.	







TAORMINA HO44  natural fabric	WIDTH	cm 300 approx. - inch 118 approx.	
	COMPOSITION	100% LI	
	WEIGHT	g-mq 168,5	
	ROLL LENGTH	mtl 35 approx.	
	SHRINKAGE	+/- 2%	
	TYPE	lightweight plain curtain	
	USE	curtains	
	€ 143,00	CARE INSTRUCTIONS	    

WIDTH	cm 300 approx. - inch 118 approx.	TAXI COLLECTION J  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 110	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 5%	
TYPE	cotton satin	
USE	complements - bedsheets - curtains - quilts	
CARE INSTRUCTIONS	    	
JB - WHITE		€ 50,80
JCH - LIGHT COLOURS		€ 53,90
JM - MEDIUM COLOURS		€ 56,20
JSC - DARK COLOURS		€ 59,00
JSP - SPECIAL COLOURS		€ 59,00







WIDTH	cm 300 approx. - inch 118 approx.	TAXI COLLECTION T  natural fabric
COMPOSITION	100% CO	
WEIGHT	g-mq 120	
ROLL LENGTH	mtl 25 approx.	
SHRINKAGE	+/- 5%	
TYPE	cotton	
USE	complements - bedsheets - curtains - quilts	
CARE INSTRUCTIONS	    	
TNAT - NATURAL COLOURS		€ 32,80
TB - WHITE		€ 32,80
TCH - LIGHT COLOURS		€ 34,70
TM - MEDIUM COLOURS		€ 36,90
TSC - DARK COLOURS		€ 39,20
TSP - SPECIAL COLOURS		€ 39,20







WIDTH	cm 320 approx. - inch 126 approx.	TENERIFE HO49  natural fabric
COMPOSITION	100% CA	
WEIGHT	g-mq 107,5	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 1%	
TYPE	lightweight curtain	
USE	curtains	
CARE INSTRUCTIONS	     	
		€ 155,70







TETRIS NF227  fire proof  recycled € 138,60	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	PILE 100% POLYESTER FR RECYCLED 100% PL FR
	WEIGHT	g-mq 375
	ROLL LENGTH	mtl 25 approx.
	SHRINKAGE	+/- 1%
	PILLING	4/5
	MARTINDALE cycles	> 50.000
	TYPE	Jacquard velvet
	USE	upholstery - decorations
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 IM (IT)	UNI 9175
	CALIFORNIAN TEST (USA) BS (UK)	TB 117:2013 SECTION 1 BS 5852:2006 - SOURCE O, 1







TOTAL BLACK WHITE NF217  fire proof € 67,70	WIDTH	cm 290 approx. - inch 114 approx.
	COMPOSITION	100% PL FR
	WEIGHT	g-mq 270
	ROLL LENGTH	mtl 30 approx.
	TYPE	blackout shading
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT)	UNI 9176+UNI 8456+UNI9174
	CLASSE 1 (EU)	UNE EN 1101-13772-13773



OUTLET

TULLE NF047  fire proof € 45,70	WIDTH	cm 300 approx. - inch 118 approx.
	COMPOSITION	100% PL FR
	WEIGHT	g-mq 47
	ROLL LENGTH	mtl 50 approx.
	SHRINKAGE	+/- 1%
	TYPE	tulle curtain
	USE	curtains
	CARE INSTRUCTIONS	    
	CERTIFICATIONS	
	CLASSE 1 (IT) BS (UK)	UNI 9176+UNI 8456+UNI9174 BS 5867-2:2008 TYPE B



WIDTH	cm 310 approx. - inch 122 approx.	TUSCANIA NF213  fire proof
COMPOSITION	100% PL	
WEIGHT	g-mq 198	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1,50%	
TYPE	curtain	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (EU)	UNE EN 1101-13772-13773	
		€ 61,40



WIDTH	cm 330 approx. - inch 129 approx.	UMBRIA COLLECTION MONTEFALCO NF224  fire proof
COMPOSITION	100% PL FR	
WEIGHT	g-mq 252	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
TYPE	fabric	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT) BS (UK)	UNI 9176+UNI 8456+UNI9174 BS 5867-2:2008 TYPE B	
		€ 134,60







WIDTH	cm 330 approx. - inch 129 approx.	UMBRIA COLLECTION ORVIETO NF225  fire proof
COMPOSITION	100% PL FR	
WEIGHT	g-mq 252	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 1%	
REPEAT	cm ↔ 28,5	
TYPE	fabric	
USE	curtains	
CARE INSTRUCTIONS	    	
CERTIFICATIONS		
CLASSE 1 (IT) BS (UK)	UNI 9176+UNI 8456+UNI9174 BS 5867-2:2008 TYPE B	
		€ 134,60







UMBRIA COLLECTION SPELLO NF226  fire proof	WIDTH	cm 330 approx. - inch 129 approx.
	COMPOSITION	100% PL FR
	WEIGHT	g-mq 274
	ROLL LENGTH	mtl 30 approx.
	SHRINKAGE	+/- 1%
	TYPE	fabric
	USE	curtains
	CARE INSTRUCTIONS	
	CERTIFICATIONS	
	CLASSE 1 (IT) BS (UK)	UNI 9176+UNI 8456+UNI9174 BS 5867-2:2008 TYPE B
€ 164,50		

OUTLET








VELLUTO DI COTONE G075  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	100% CO
	WEIGHT	g-mq 580
	ROLL LENGTH	mtl 35/40 approx.
	SHRINKAGE	+/- 3%
	PILLING	4
	MARTINDALE cycles	> 50.000
	TYPE	velvet
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	
CERTIFICATIONS		
CALIFORNIAN TEST (USA) CRIB 5 (UK)	TB 117:2013 SECTION 1 BS 5852:2006 - SOURCE 5	
€ 125,20		Fireproofing is through resin backcoating.

VELLUTO DI LINO G105  natural fabric	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	(PILE 100% LI) 58% CO - 42% LI
	WEIGHT	g-mq 685
	ROLL LENGTH	mtl 35/40 approx.
	SHRINKAGE	+/- 3%
	PILLING	4/5
	MARTINDALE cycles	> 30.000
	TYPE	plain velvet
	USE	complements - upholstery - decorations
	CARE INSTRUCTIONS	
€ 156,70		

WIDTH	cm 330 approx. - inch 129 approx.	VENTOTENE H037 H037/01 H037/02  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 103	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
TYPE	lightweight yarn dyed curtain	€ 72,60
USE	curtains	
CARE INSTRUCTIONS	    	










WIDTH	cm 330 approx. - inch 129 approx.	VENTOTENE H037 H037 colour  natural fabric
COMPOSITION	100% LI	
WEIGHT	g-mq 103	
ROLL LENGTH	mtl 30 approx.	
SHRINKAGE	+/- 4%	
TYPE	lightweight yarn dyed curtain	€ 79,10
USE	curtains	
CARE INSTRUCTIONS	    	







OUTLET

WIDTH	cm 300 approx. - inch 118 approx.	VERSILIA Q017  indoor&outdoor
COMPOSITION	100% AC	
WEIGHT	g-mq 270	
ROLL LENGTH	mtl 40 approx.	
SHRINKAGE	+/- 1%	
MARTINDALE cycles	> 30.000	€ 116,90
TYPE	outdoor curtain	
USE	curtains - upholstery - decorations	
CARE INSTRUCTIONS	     	







INDOOR&OUTDOOR








INDOOR&OUTDOOR








VERSILIA Q007  recycled  indoor&outdoor € 63,30	WIDTH	cm 150 approx. - inch 59 approx.
	COMPOSITION	100% AC
	WEIGHT	g-mq 270
	ROLL LENGTH	mtl 40 approx.
	SHRINKAGE	+/- 1%
	MARTINDALE cycles	> 30.000
	TYPE	outdoor curtain
	USE	curtains - upholstery - decorations
	CARE INSTRUCTIONS	      
	Water repellent finishing PFAS FREE	

VIAREGGIO COLLECTION VG006 VG007 VG008 VG009/04  natural fabric € 242,50	WIDTH	cm 310 approx. - inch 122 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 474
	ROLL LENGTH	mtl 20 approx.
	SHRINKAGE	+/- 4%
	MARTINDALE cycles	> 25.000
	TYPE	heavy plain fabric
	USE	complements - curtains - upholstery - decorations
	CARE INSTRUCTIONS	    

OUTLET

VIAREGGIO COLLECTION VG009/200 201 - 202 - 203 204 - 205 - 206 207  natural fabric € 242,50	WIDTH	cm 310 approx. - inch 122 approx.
	COMPOSITION	100% LI
	WEIGHT	g-mq 474
	ROLL LENGTH	mtl 20 approx.
	SHRINKAGE	+/- 4%
	MARTINDALE cycles	> 25.000
	TYPE	heavy plain fabric
	USE	complements - curtains - upholstery - decorations
	CARE INSTRUCTIONS	    


WIDTH	cm 140 approx. - inch 55 approx.	WIN NF241 	NEW
COMPOSITION	100% PL TREVIRA CS		
WEIGHT	g-mq 469		
ROLL LENGTH	mtl 35 approx.		
SHRINKAGE	+/- 1%		
PILLING	3/4		
MARTINDALE cycles	> 25.000		
TYPE	Jacquard velvet		
USE	upholstery - curtains - complements		
LIGHT FASTNESS	≥ 5		
CARE INSTRUCTIONS	    		
CERTIFICATIONS		 fire proof	
BS (UK)	BS 5852 - Schedule 4 part 1 (cigarette test)		
BS (UK)	BS 5852 - Schedule 5 part 1 (match test)		
CALIFORNIAN TEST (USA)	TB 117:2013 + 2015 SECTION 1		
CLASS 1 IM (IT)	UNI 9175/1987		
EUROPE (EU)	EN 1021 - 1 (cigarette test)	€ 161,50	
EUROPE (EU)	EN 1021 - 2 (match test)		

WIDTH	cm 140 approx. - inch 55 approx.	ZERMATT COLLECTION CAYENNE G171 TWEED G172	OUTLET
COMPOSITION	36% VI - 24% CO - 24% PL - 16% LI		
WEIGHT - G171	g-mq 614		
WEIGHT - G172	g-mq 678		
ROLL LENGTH	mtl 50 approx.		
SHRINKAGE	+/- 1%		
PILLING	4/5		
MARTINDALE cycles - G171	> 25.000		
MARTINDALE cycles - G172	> 30.000		
TYPE	Jacquard velvet		
USE	complements - upholstery - decorations	 natural fabric	
PATTERN DIRECTION			
CARE INSTRUCTIONS	    	€ 109,60	

Minimum order quantity one roll

G272S	COMPOSITION	52% CO - 48% LI
€ 100,90	WIDTH	cm 140 approx. - inch 55 approx.
G273S	COMPOSITION	52% CO - 48% LI
€ 106,90	WIDTH	cm 140 approx. - inch 55 approx.
G283S	COMPOSITION	82% LI - 18% CO
€ 122,70	WIDTH	cm 140 approx. - inch 55 approx.
G274S	COMPOSITION	100% CO
€ 82,10	WIDTH	cm 140 approx. - inch 55 approx.
G279S	COMPOSITION	63% CO - 37% LI
€ 101,60	WIDTH	cm 140 approx. - inch 55 approx.
G281S	COMPOSITION	100% LI
€ 125,70	WIDTH	cm 140 approx. - inch 55 approx.
G278S	COMPOSITION	100% LI
€ 133,50	WIDTH	cm 140 approx. - inch 55 approx.
G282S	COMPOSITION	100% CO
€ 91,90	WIDTH	cm 140 approx. - inch 55 approx.
G280S	COMPOSITION	100% CO
€ 91,90	WIDTH	cm 140 approx. - inch 55 approx.
G275S	COMPOSITION	63% CO - 37% LI
€ 103,20	WIDTH	cm 140 approx. - inch 55 approx.
G276S	COMPOSITION	100% CO
€ 94,90	WIDTH	cm 140 approx. - inch 55 approx.
Q044S	COMPOSITION	100% PL RECYCLED
€ 104,60	WIDTH	cm 140 approx. - inch 55 approx.
Q040S	COMPOSITION	100% PL
€ 102,10	WIDTH	cm 140 approx. - inch 55 approx.
NF7015S	COMPOSITION	100% PL
€ 110,80	WIDTH	cm 140 approx. - inch 55 approx.
Q041S	COMPOSITION	100% PL
€ 97,90	WIDTH	cm 140 approx. - inch 55 approx.
Q043S	COMPOSITION	100% PL
€ 106,70	WIDTH	cm 140 approx. - inch 55 approx.

COMPOSITION	100% PL	Q042S
WIDTH	cm 140 approx. - inch 55 approx.	€ 106,70
COMPOSITION	63% CO - 37% LI	G277S
WIDTH	cm 140 approx. - inch 55 approx.	€ 108,30
COMPOSITION	100% LI	G284S
WIDTH	cm 140 approx. - inch 55 approx.	€ 113,50
COMPOSITION	100% PL TREVIRA CS	NF079S
WIDTH	cm 140 approx. - inch 55 approx.	€ 114,80
COMPOSITION	100% PL	G079S
WIDTH	cm 140 approx. - inch 55 approx.	€ 96,00
COMPOSITION	51% PL TREVIRA CS - 49% PL	G066.S
WIDTH	cm 140 approx. - inch 55 approx.	€ 90,90
COMPOSITION	51% PL TREVIRA CS - 49% PL	G066S
WIDTH	cm 300 approx. - inch 118 approx.	€ 157,20
COMPOSITION	100% PL FR	NF123S
WIDTH	cm 140 approx. - inch 55 approx.	€ 94,00
COMPOSITION	100% PL FR	NF124S
WIDTH	cm 140 approx. - inch 55 approx.	€ 114,00
COMPOSITION	100% CO	G203S
WIDTH	cm 140 approx. - inch 55 approx.	€ 106,10
COMPOSITION	100% PL FR	NF185S
WIDTH	cm 140 approx. - inch 55 approx.	€ 68,70
COMPOSITION	100% PL FR	NF185AS
WIDTH	cm 280 approx. - inch 110 approx.	€ 156,10
COMPOSITION	100% CO	G238S
WIDTH	cm 140 approx. - inch 55 approx.	€ 96,30
COMPOSITION	100% PL	NF244S
WIDTH	cm 300 approx. - inch 118 approx.	€ 85,10
COMPOSITION	100% PL	NF245S
WIDTH	cm 290 approx. - inch 114 approx.	€ 84,50
COMPOSITION	100% CO	G216S
WIDTH	cm 140 approx. - inch 55 approx.	€ 74,00

ANGHIARI PA034	COMPOSITION		40% RY - 60% CO RECYCLED	
	LENGTH		cm 75	
	COLOUR		01 • 10 • 09 • 14 • 16 • 27 • 19 • 114 • 13 • 29 • 42 • 02	
	CORD		Ø 1,2 cm	
	CARE		remove the wooden parts before washing (P)	
€ 80,80				
BELLOSGUARDO PA049	COMPOSITION		40% VI - 40% RY - 20% CO RECYCLED	
	COLOUR		10 • 14 • 16 • 30	
	EMBRACE HEIGHT		cm 90	
	CORD		Ø 1,2 cm	
	CARE INSTRUCTIONS		(P)	
€ 276,20				
BORDINO PA042 - PA043 PA044 - PA045	COMPOSITION		100% CO	
	COLOUR		01 • 09 • 18	
	CARE INSTRUCTIONS			
	WIDTH			
	PA042	PA043	PA044	PA045
	1,2 cm	1,1 cm	1,4 cm	1 cm
€ 10,30 /mtl		PA042		
€ 10,10 /mtl		PA043		
€ 12,30 /mtl		PA044		
€ 11,30 /mtl		PA045		
BORRO PA048	COMPOSITION		40% VI - 40% RY - 20% CO RECYCLED	
	COLOUR		10 • 09 • 14 • 16	
	EMBRACE HEIGHT		cm 90	
	CORD		Ø 1,5 cm	
	CARE INSTRUCTIONS		(P)	
€ 194,60				
CERTALDO PA035	COMPOSITION		45% RY - 35% VI - 20% CO RECYCLED	
	COLOUR		01 • 10 • 09 • 14 • 16 • 27 • 19 • 114 128 • 13 • 148 • 150 • 178 • 29 • 42 • 02	
	EMBRACE HEIGHT		cm 90	
	CORD		Ø 1 cm	
	CARE INSTRUCTIONS		(P)	
€ 144,60				
CORTONA PA036	COMPOSITION		80% LI - 20% CO RECYCLED	
	COLOUR		18	
	EMBRACE HEIGHT		cm 90	
	CORD		Ø 1 cm	
	CARE INSTRUCTIONS		(P)	
€ 144,60				

COMPOSITION - COL 10	100% CO	MARABÙ PA008
COMPOSITION - COL 15	50% CO - 50% JU	
COMPOSITION - COL 16	50% CO - 50% LI	
COMPOSITION - COL 18	100% LI	
WIDTH	cm 4	€ 27,30 /mtl
CARE INSTRUCTIONS		

COMPOSITION	80% CO - 20% CO RECYCLED	RIMAGGIO PA038
COLOUR	10	
EMBRACE HEIGHT	cm 90	€ 144,60
CORD	Ø 1 cm	
CARE INSTRUCTIONS		

COMPOSITION	45% CO - 35% LI - 20% CO RECYCLED	ROVEZZANO PA037
COLOUR	16	
EMBRACE HEIGHT	cm 90	€ 144,60
CORD	Ø 1 cm	
CARE INSTRUCTIONS		

COMPOSITION	50% CO - 50% LI	ROMBO PA001
COLOUR	15 • 16	
WIDTH	cm 4	€ 16,50 /mtl
CARE INSTRUCTIONS		

COMPOSITION	80% RY - 20% CO RECYCLED	ROVETA PA005
EMBRACE HEIGHT	cm 90	
COLOUR	10 • 14 • 16 • 27	€ 175,10
CORD	Ø 1,2 cm	
CARE INSTRUCTIONS		

COMPOSITION - COL 10	100% CO	VIAREGGIO PA007
COMPOSITION - COL 15	50% CO - 50% JU	
COMPOSITION - COL 16	50% CO - 50% LI	
COMPOSITION - COL 18	100% LI	
LENGTH	cm 75	€ 80,80
COLOUR	10 • 15 • 16 • 18	
CORD	Ø 1,2 cm	
CARE INSTRUCTIONS		

LEATHER
COLLECTIONCLASSIC
VP04

genuine leather

€ 134,40 m2

ANIMAL ORIGIN	european bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 0,9 / 1
TYPE	full grain waxed effect
FINISHING	water based pigment
TANNING	chromium salt
DYEING	aniline through-dyeing
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale 3 UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	N \geq 35 UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale \geq 4 UNI EN ISO 11640:1998
WET RUB FASTNESS 80 cycles	grey scale \geq 4 UNI EN ISO 11640:1998
FLEXURAL STRENGTH - DRY	> 20.000 cycles UNI EN ISO 5402
ADHESION OF THE DRY FINISH	N/cm \geq 3,5 UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117 - A11@2013:2013 Cigarette Test (California)
	On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	european bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 1,3 / 1,5
TYPE	article brushed by hand
FINISHING	water based pigment
TANNING	chromium salt
DYEING	aniline through-dyeing
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale >= 3 UNI EN ISO 105 B02
TEAR STRENGHT	45 N/mm UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale 4 ISO 11640
WET RUB FASTNESS	UNI EN ISO 11640
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402
ADHESION OF FINISH	10,5 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
British Standard BS 5852 Part 1 (1979)	
IMO FTP:Part 8-Resolution A.652 (16)	
TB 117-A11@2013:2013 Cigarette Test (California)	
Custom colours on request with a minimum order of 300 m2	
Leathers can be cut on jigs provided by the customer, with file format DXF.	
Minimum order: 1/2 hide	

LEATHER
COLLECTION

FOLK
VPO3



genuine leather

€ 134,40 m2

LEATHER
COLLECTIONJAZZ
VP06

genuine leather

€ 88,00 m2

ANIMAL ORIGIN	European bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 0,9 / 1
TYPE	pigmented printed uruguay
FINISHING	pigment finishing
TANNING	chromium salt
DYEING	aniline through-dyeing
USE	upholstrey
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale > 7 UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	N ≥ 35 UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale ≥ 4 UNI EN ISO 11640:1998
WET RUB FASTNESS 250 cycles	grey scale ≥ 4 UNI EN ISO 11640:1998
FLEXURAL STRENGHT - DRY	> 50.000 cycles UNI EN ISO 5402
ADHESION OF THE DRY FINISH	≥ 3,5 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117-A11@2013:2013 Cigarette Test (California)
	On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M, DIN 4102 B1, FRENCH M1 NF P92-507:2004
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	extra european buffalo
AVERAGE SIZE	m2 3,8 / 4
THICKNESS	mm 0,9 / 1
TYPE	pigmented printed uruguay
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale > 7 UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	35 >= N/mm UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale >= 4 UNI EN ISO 11640
WET RUB FASTNESS 250 cycles	grey scale >= 4 UNI EN ISO 11640
FLEXURAL STRENGHT - DRY	> 20.000 cycles UNI EN ISO 3377-1
ADHESION OF THE DRY FINISH	>3,50 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979) IMO FTP:Part 8-Resolution A.652 (16) TB 117-A11@2013:2013 Cigarette Test (California)
	On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

LEATHER
COLLECTION

MELODY
VP16

NEW



genuine leather

€ 65,80 m2


NEW

LEATHER
COLLECTIONMERENGUE
VP10

genuine leather

€ 96,00 m2

ANIMAL ORIGIN	European bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 0,9 / 1
TYPE	half grain printed federica
USE	upholstrey
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale > 7 UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	N>= 35 UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale >= 4 UNI EN ISO 11640:1998
WET RUB FASTNESS 250 cycles	grey scale >= 4 UNI EN ISO 11640:1998
FLEXURAL STRENGHT - DRY	> 50.000 cycles UNI EN ISO 5402
ADHESION OF THE DRY FINISH	>=3,5 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117-A11@2013:2013 Cigarette Test (California)
	On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M, DIN 4102 B1, FRENCH M1 NF P92-507:2004
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	European bovine	<p>LEATHER COLLECTION</p> <p>POP VP01</p>  <p>genuine leather</p> <p>€ 121,60 m2</p>
AVERAGE SIZE	m2 4,5 / 5	
THICKNESS	mm 1,1 / 1,2	
TYPE	grain slightly corrected	
FINISHING	water based pigment	
TANNING	chromium salt	
DYEING	aniline through-dyeing	
USE	upholstery	
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale 8 UNI EN ISO 105 B02	
TEAR STRENGTH	34 N/mm UNI EN ISO 3377-1	
DRY RUB FASTNESS 500 cycles	grey scale 4 ISO 11640	
WET RUB FASTNESS 80 cycles	grey scale 5 ISO 11640	
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402	
ADHESION OF FINISH	3,5 N/cm UNI EN ISO 11644	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS		
UNI EN 1021-1 UNI EN 1021-2 British Standard UNI EN ISO 1021:2014 IMO FTP:Part 8-Resolution A.652 (16) TB 117-A11@2013:2013 Cigarette Test (California)		
On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M, DIN 4102 B1, FRENCH M1 NF P92 - 507:2004		
Custom colours on request with a minimum order of 300 m2		
Leathers can be cut on jigs provided by the customer, with file format DXF.		
Minimum order: 1/2 hide		

NEW

LEATHER
COLLECTIONREGGAE
VP09

genuine leather

€ 70,90 m2

ANIMAL ORIGIN	extra european buffalo
AVERAGE SIZE	m2 3,8 / 4
THICKNESS	mm 1,3 / 1,5
TYPE	grain slightly corrected and printed America Dollar
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale > 7 UNI EN ISO 105 B02
TEAR STRENGTH	> 89 N/mm UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale 4 ISO 11640
WET RUB FASTNESS 250 cycles	grey scale 4/5 ISO 11640
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402
ADHESION OF FINISH	9,3 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117-A11@2013:2013 Cigarette Test (California)
	On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	European bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 1,3 / 1,5
TYPE	half grain with antiqued effect and slight pull up
FINISHING	aniline polished
TANNING	chromium salt
DYEING	aniline through-dyeing
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale 3/4 UNI EN ISO 105 B02
TEAR STRENGTH	100 N/mm UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale 3/4 ISO 11640
WET RUB FASTNESS	ISO 11640
FLEX CRACK RESISTANCE	> 30.000 cycles ISO 5402
ADHESION OF FINISH	30 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979)	
IMO FTP:Part 8-Resolution A.652 (16)	
TB 117-A11@2013:2013 Cigarette Test (California)	
Custom colours on request with a minimum order of 300 m2	
Leathers can be cut on jigs provided by the customer, with file format DXF.	

Minimum order: 1/2 hide

**LEATHER
COLLECTION**

**ROCK
VPO5**



genuine leather

€ 134,40 m2

NEW

LEATHER
COLLECTIONRUMBA
VP13

genuine leather

€ 76,00 m2

ANIMAL ORIGIN	extra european buffalo
AVERAGE SIZE	m2 3,8 / 4
THICKNESS	mm 1,3 / 1,5
TYPE	grain slightly corrected and printed
FINISHING	water based pigment
TANNING	chromium salt
DYEING	aniline through-dyeing
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale > 4 UNI EN ISO 105 B02
TEAR STRENGTH	> 75 N/mm UNI EN ISO 3377-1
DRY RUB FASTNESS 500 cycles	grey scale 4/5 ISO 11640
WET RUB FASTNESS 250 cycles	grey scale 4/5 ISO 11640
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402
ADHESION OF FINISH	5,7 N/cm UNI EN ISO 11644
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117-A11@2013:2013 Cigarette Test (California)
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	euopean bovine	<p>LEATHER COLLECTION</p> <p>SALSA VP11</p> <p>NEW</p> <p>GENUINE LEATHER</p> <p></p> <p>genuine leather</p> <p>€ 148,80 m2</p>
AVERAGE SIZE	m2 4,5 / 5	
THICKNESS	mm 1,3 / 1,5	
TYPE	half-grain leather, natural grain, semi-opaque, soft touch, slightly grasy to the touch	
FINISHING	opacque half-grain leather	
TANNING	chromium salt	
DYEING	through-dyeing	
USE	upholstery	
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale 8 UNI EN ISO 105 B02	
TEAR STRENGHT	121 N UNI EN ISO 3377-1	
DRY RUB FASTNESS 500 cycles	grey scale 4/5 ISO 11640	
WET RUB FASTNESS 250 cycles	grey scale 4 ISO 11640	
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402	
ADHESION OF FINISH	13,4 N/cm UNI EN ISO 11644	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS	British Standard UNI EN 1021-1:2014 IMO FTP:Part 8-Resolution A.652 (16) TB 117-A11@2013:2013 Cigarette Test (CALIFORNIA)	
On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M		
Custom colours on request with a minimum order of 300 m2		
Leathers can be cut on jigs provided by the customer, with file format DXF.		
Minimum order: 1/2 hide		

NEW

LEATHER
COLLECTIONSAMBA
VP08

genuine leather

€ 190,40 m2

ANIMAL ORIGIN	european bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 1,2 / 1,3
TYPE	nabuck natural grain
FINISHING	aniline
TANNING	chromium salt
DYEING	aniline
USE	upholstery
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale $\geq 1/2$ UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	20 \geq N UNI EN ISO 3377-1
COLOUR FASTNESS TO RUBBING dry 20 cycles	grey scale ≥ 2 UNI EN ISO 11640
COLOUR FASTNESS TO RUBBING wet from 5 to 80 cycles	grey scale ≥ 2 UNI EN ISO 11640
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	British Standard BS 5852 Part 1 (1979)
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

ANIMAL ORIGIN	euopean bovine	<p>LEATHER COLLECTION</p> <p>TANGO VP15</p> <p></p> <p>genuine leather</p>
AVERAGE SIZE	m2 4,5 / 5	
THICKNESS	mm 0,9 / 1,1	
TYPE	corrected grain	
FINISHING	natural grain	
TANNING	chromium salt	
DYEING	aniline through-dyeing - vacuum	
USE	upholstery	
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale 5/6 UNI EN ISO 105 B02	
TEAR STRENGHT	26 N/mm UNI EN ISO 3377-1	
DRY RUB FASTNESS 500 cycles	grey scale 4/5 ISO 11640	
WET RUB FASTNESS 80 cycles	grey scale 4/5 ISO 11640	
FLEX CRACK RESISTANCE	> 50.000 cycles ISO 5402	
ADHESION OF FINISH	11,2 N/cm UNI EN ISO 11644	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS		
British Standard UNI EN 1021-2014 IMO FTP:PART 8-Resolution A.652 (16) TB 117-A11@2013:2013 Cigarette Test (California)		
On request the article is also available with the following fire reaction regulations: BS 5852 CRIB 5, UNI 9175 11M		
Custom colours on request with a minimum order of 300 m2		
Leathers can be cut on jigs provided by the customer, with file format DXF.		
Minimum order: 1/2 hide		

€ 134,40 m2

NEW

GENUINE LEATHER

NEW

LEATHER
COLLECTIONTWIST
VP12

genuine leather

€ 65,80 m2

ANIMAL ORIGIN extra european / european bovine - buffalo

AVERAGE SIZE m2 3,8 / 4

THICKNESS mm 0,9 / 1

TYPE corrected and printed grain madras

FINISHING water-based pigments

TANNING chromium salt

DYEING aniline

USE upholstery

COLOUR FASTNESS TO THE ARTIFICIAL
LIGHTGRAY blue scale 8
UNI EN ISO 105 B02

TEAR STRENGTH N = 75 | UNI EN ISO 3377-1

DRY RUB FASTNESS
500 cycles grey scale 5
ISO 11640WET RUB FASTNESS
250 cycles grey scale 4/5
ISO 11640FLEX CRACK RESISTANCE > 20.000 cycles
ISO 5402ADHESION OF FINISH N/cm = 6,2
UNI EN ISO 11644

CARE INSTRUCTIONS water and neutral soap

CERTIFICATIONS

British Standard BS 5852 Part 1 (1979)

IMO FTP:Part 8-Resolution A.652 (16)

TB 117-A11@2013:2013 Cigarette Test (California)

On request the article is also available with the following fire reaction regulations:
BS 5852 CRIB 5, UNI 9175 IIM, FRENCH M1 NF P92 - 507:2004,
DIN 4102 B1

Custom colours on request with a minimum order of 300 m2

Leathers can be cut on jigs provided by the customer, with file format DXF.

Minimum order: 1/2 hide

ANIMAL ORIGIN	European bovine
AVERAGE SIZE	m2 4,5 / 5
THICKNESS	mm 1 / 1,2
TYPE	lightly buffed
DYEING	through-dyeing aniline
USE	upholstery
COLOUR FASTNESS TO DAYLIGHT AFTER 240H (VALID ONLY FOR COLOUR 9010 BIANCO)	blue scale 6 UNI EN ISO 105 B01:2014
COLOUR FASTNESS TO DAYLIGHT AFTER 240H	blue scale 7 UNI EN ISO 105 B01:2014
COLOUR FASTNESS TO THE ARTIFICIAL LIGHTGRAY	blue scale >=5 UNI EN ISO 105 B02
RESISTANCE TO TROUSER TEARS	N >=20 UNI EN ISO 3377-1
COLOUR FASTNESS TO RUBBING dry 500 cycles	grey scale >=4 UNI EN ISO 11640:1998
COLOUR FASTNESS TO RUBBING wet 250 cycles	grey scale >=4 UNI EN ISO 11640:1998
COLOUR FASTNESS TO RUBBING perspiration > 80 cycles	grey scale >=4 UNI EN ISO 11640:1998
FLEXURAL STRENGTH - DRY	> 50.000 cycles UNI EN ISO 5402
COLOUR FASTNESS TO RUBBING	grey scale >=4 DIN 53160-1:2010
ADHESION OF THE DRY FINISH	N/cm >= 3 UNI EN ISO 11644
STAIN REMOVER	grey scale: >= 4 UNI EN 12720: 2009 (coffee, oil, red wine, coca-cola, chocolate, condensed milk, water, ketchup, soy, butter, orange juice, acetic acid)
CARE INSTRUCTIONS	water and neutral soap
CERTIFICATIONS	
	UNI EN 1021-1 UNI EN 1021-2 British Standard BS 5852 Part 1 (1979)
	IMO FTP:Part 8-Resolution A.652 (16)
	TB 117-A11@2013:2013 Cigarette Test (California)
	Custom colours on request with a minimum order of 300 m2
	Leathers can be cut on jigs provided by the customer, with file format DXF.
	Minimum order: 1/2 hide

LEATHER COLLECTION

VALZER VP14

NEW

GENUINE LEATHER





genuine leather





stain resistant

€ 128,00 m2

INDOOR&OUTDOOR


FISHERMAN FPO2  fire proof  indoor&outdoor € 52,70	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	85% PVC - 15% PL
	WEIGHT	g-mq 500
	ROLL LENGTH	mtl 30 approx.
	THICKNESS	1 mm
	MARTINDALE cycles	> 50.000
	TYPE	synthetic leather
	USE	upholstery
	CARE INSTRUCTIONS	water and neutral soap
	CERTIFICATIONS	
	CLASSE 1 IM (IT)	UNI 9175
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
	Light colours can not be used in contact with clothes/fabrics with unfixed dyes (for example jeans, etc)	

OLD FPO5  fire proof € 59,00	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	85% PVC - 13% CO - 2% PU
	WEIGHT	g-mq 479
	ROLL LENGTH	mtl 30 approx.
	THICKNESS	1,35 mm
	MARTINDALE cycles	> 50.000
	TYPE	synthetic leather
	USE	upholstery
	CARE INSTRUCTIONS	water and neutral soap
	CERTIFICATIONS	
	CLASSE 1 IM (IT)	UNI 9175
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
	Light colours can not be used in contact with clothes/fabrics with unfixed dyes (for example jeans, etc)	


SPINNING FP09  fire proof € 42,50	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	87% PVC - 9% PL - 4% CO
	WEIGHT	g-mq 465
	ROLL LENGTH	mtl 30 approx.
	THICKNESS	1,35 mm
	MARTINDALE cicli	> 50.000
	TYPE	synthetic leather
	USE	upholstery
	CARE INSTRUCTIONS	water and neutral soap
	CERTIFICATIONS	
	CLASSE 1 IM (IT)	UNI 9175
	CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1
	Light colours can not be used in contact with clothes/fabrics with unfixed dyes (for example jeans, etc)	

WIDTH	cm 140 approx. - inch 55 approx.	SURF FPO12
COMPOSITION	90% PVC - 6% PL - 4% CO	
WEIGHT	g-mq 800	
ROLL LENGTH	mtl 25 approx.	
THICKNESS	0,95 mm	
MARTINDALE cycles	> 80.000	
TYPE	synthetic leather	
USE	upholstery	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	 fire proof
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
Light colours can not be used in contact with clothes/fabrics with unfixed dyes (for example jeans, etc)		€ 56,00
WIDTH	cm 140 approx. - inch 55 approx.	TOUCH FPO1
COMPOSITION	69% PVC - 20% PL - 10% CO - 1% PU	
WEIGHT	g-mq 580	
ROLL LENGTH	mtl 30 approx.	
THICKNESS	1 mm	
MARTINDALE cycles	> 50.000	
TYPE	synthetic leather	
USE	upholstery	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	 fire proof
FTP (IMO)	CODE 2010, PART 8	
M1 (FR)	NFP 92-503	 naval certification
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
CRIB 5 (UK)	BS 5852:2006 - SOURCE 5	€ 50,10
WIDTH	cm 140 approx. - inch 55 approx.	VINTAGE FPO4
COMPOSIZIONE	66% PVC - 17% PL - 17% CO	
WEIGHT	g-mq 720	
ROLL LENGTH	mtl 25 approx.	
THICKNESS	1,35 mm	
MARTINDALE cycles	> 50.000	
TYPE	synthetic leather	
USE	upholstery	
CARE INSTRUCTIONS	water and neutral soap	
CERTIFICATIONS		
CLASSE 1 IM (IT)	UNI 9175	 fire proof
CALIFORNIAN TEST (USA)	TB 117:2013 SECTION 1	
Light colours can not be used in contact with clothes/fabrics with unfixed dyes (for example jeans, etc)		€ 62,20

OUTLET

ECOTRAP GEOMETRICO WTW/02	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	66% PVC 17% PL 17% CO
	WEIGHT	g-mq 860
	ROLL LENGTH	mtl 30 approx.
	REPEAT	cm ↓9,5 ↔7
	MARTINDALE cycles	> 18.000
	TYPE	quilted synthetic leather
	USE	upholstery
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	water and neutral soap
€ 131,20	With a minimum order of one roll it is possible to carry out the custom quilting.	

OUTLET

ECOTRAP RAMAGE WTW/01	WIDTH	cm 140 approx. - inch 55 approx.
	COMPOSITION	66% PVC 17% PL 17% CO
	WEIGHT	g-mq 860
	ROLL LENGTH	mtl 30 approx.
	REPEAT	cm ↓18,5 ↔15,5
	MARTINDALE cycles	> 18.000
	TYPE	quilted synthetic leather
	USE	upholstery
	PATTERN DIRECTION	
	CARE INSTRUCTIONS	water and neutral soap
€ 131,20	With a minimum order of one roll it is possible to carry out the custom quilting.	



**WE WILL NOT ACCEPT ANY CLAIMS
AFTER THE FABRIC HAS BEEN CUT!**

Please inspect the fabric
carefully for colour, pattern and quality.

SALES CONDITIONS

1. The customer is responsible for checking the condition of the package upon receipt of the goods, noting any issues on the bill of goods and immediately reporting the problem to the selling company.
2. Orders will only be accepted by e-mail nor by telephone.
3. In no case complaints will be accepted for goods which have already been cut or processed. Complaints are not accepted after 8 days from the date of receipt of the goods. Authorised returns must be accompanied by their bill of goods, indicating the data of the purchase invoice. We will reject any goods that arrive without authorisation or bill of goods back to the sender. The returned goods must be returned carriage paid.
4. The minimum order is one metre. Orders will be accepted only in written form (export@alessandrobinini.com, sales@alessandrobinini.com). If, for exceptional reasons of urgency, the order is not sent written, please note that no complaints will be accepted.
5. The cancellation and/or modification of an order must be made in writing, by e-mail or fax, directly to the company AB Tessuti dal Mondo s.r.l. no later than four hours after sending the order.
6. In the event of hidden defects, our liability is limited to the value of the fabric that may be recognised as defective, not extending in any case to the processing or transformation of the disputed goods.
7. If a customer requests a shipment to an address other than his own, he is responsible for the relative shipment, therefore he is required to check the reference and the colour of the material sent. Returns will not be accepted if the material is cut and/or processed.
8. Any use for the purpose of advertising communication (press, public and private TV, internet with particular reference to social media, cinema, brochures, yellow pages, letters or archiving, including electronic, etc.) of the company brand must be approved in advance in writing by the company.
9. Deliveries will be made by express courier within 48/72 hours following receipt of the order. If the fabric is not present in our warehouse, it will be our care to communicate the shipment date of the goods. If no written cancellations or written indications contrary to delivery are received, the goods will be tacitly shipped on the date communicated. The delivery date of occasionally missing items is indicative and cannot under any circumstances give rise to requests for payment of any damages. Unless specifically requested, each shipment will be sent carriage paid, charged in the invoice, with a supplement for packages over 3 metres.
10. Failure to pay within the agreed terms may result in an increase in interest on arrears of 5%. In the event of outstanding payments, in addition to the aforementioned interest, variable administrative costs will be charged up to a maximum of € 55. AB Tessuti dal Mondo s.r.l. also reserves the right to interrupt future deliveries or, alternatively, to request advance payment.
11. Purchased samples become the exclusive property of the customer and cannot be transferred to others without the authorisation of the company.
12. The company has the right to eliminate one or more items from its collections at its sole discretion. Any disputes will be settled by the Court of Florence. Privacy Policy in accordance with Italian Legislative Decree no. 196 dated 30 June 2003 regarding the "processing of personal data": the personal data provided by the customer will be processed "in a lawful and correct manner", as established pursuant to art. 11 of Italian Legislative Decree no. 196 dated 30 June 2003.
13. Fabrics can be reserved up to 24 hours. After this period, the goods are automatically released.

IMPORTANT INFORMATION

1. The natural colours of linen, cotton, hemp, jute, silk and wool fibres, etc: (not dyed) are subject to considerable variations due to factors not dependent on our will. Therefore, complaints deriving from colour differences regarding to the samples delivered will not be considered.

2. The composition of the fabrics with natural and synthetic fibres determines specific shrinkage values; the shrinkage percentages indicated in the technical data sheets and in the fabric maintenance standards are therefore to be considered valid, but not imperative.

3. Complaints on stone-washed materials will not be considered, as differences in stone-washing and colour are frequent due to the particularity of this type of finishing. It will therefore be our care, from time to time, to ascertain and evaluate the colour tolerances.

4. Velvet is delivered with special packaging or in special boxes. We decline any responsibility for incorrect storage of the product or for any processing not suited to the velvet itself. We recommend always to keep the velvet in a horizontal position, inside and outside the boxes. Never touch velvet with wet hands, as the material can be damaged beyond repair. In the event of a complaint, the velvet must be returned to the company in the original packaging in which it was received (box or corrugated cardboard).

5. The roll lengths shown in the technical data sheets may undergo fluctuations.

6. Please examine the delivered goods before starting any processing (item, colour, finishing, length and any flaws). Report the problem to our company within 24 hours of receipt of the goods by e-mail, accompanied by photos. Do not proceed with cutting and processing before having received a written response to the report from our company.

7. Fabrics with printed designs with vertical and horizontal pattern directions may undergo small variations as a result of the various finishing steps.

8. In chenille or high-pile fabrics in general, a colour loss may occur due to rubbing, following any crushing of the inclination of the pile. This characteristic is absolutely not disputable. The silk and jute fabrics used for curtains must be lined, otherwise they could discolour or tear due to direct contact with both sunlight and artificial light. These problems are not to be considered a defect. We are absolutely not responsible for






















complaints about unlined silk and jute.

9. The outlet items not shown on the price list are to be considered as no longer in the collection.

We recommend requesting the availability of the goods before proceeding with the order. The goods will be delivered until available.

10. All Alessandro Bini s.r.l. products are sold exclusively to customers who have purchased the collection.

11. If possible, we request to indicate that fabric orders for curtain use could be reported at the moment of order, in order to proceed with the delivery of fabric without any marked defects.

ICONS	
Hand wash in water	
Wash with a normal cycle. Temperature at 30 degrees	
Don't wash in water.	
Don't press with a hot iron. Maximum temperature 60 degrees	
Press on the reverse side	
Don't bleach	
Bleaching with chlorine-based products	
Do not dry clean	
Dry clean	
Dry clean with R113-type solvents	
Don't tumble dry	
Dry horizontally	
Hang without spinning	
Hang after spinning	
Stain resistant	
Easy removal of difficult stains	
Proportion of natural fabric	
Recycled	
Water repellent	
Indoor&outdoor	
Hypoallergenic	

FIBERS	
AC	Acetate
CA	Canapa
CLY	Tencel
CO	Cotton
EA	Elastane
JU	Jute
LI	Linen
LY	Lycra
MA	Modacrylic
NY	Nylon
AF	Other Fibers
PC	Acrylic
PL	Polyester
PP	Polypropylene
PU	Polyurethane
RY	Rayon
SE	Silk
VI	Viscose
WO	Wool
WV	Virgin wool

ALESSANDRO BINI S.R.L.

Via Dell'Artigianato, 28/30 - 50025 Montespertoli (FI)
Tel. +39 0571 670567 info@alessandrobini.com
alessandrobini.com